

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019000	-	Green Plastic Coil Spacer - All Units	
C200019001	-	Metal Cal. Alum SR984-05	
C200019002	-	Slot Wedge - 806-001	
C200019003	-	Silver Solder Preform For 555-102-155	
C200019004	-	Data Plate (809-021)	
C200019005	-	Resistor M-840&850 inner Station	
C200019006	-	Data Indent (CT40800001)	
C200019007	-	Data Indent (CT40800003)	
C200019008	-	Mylar Insulator For 980 Stator no sheets just sketch	
C200019009	-	End Turn Insulator R-900	
C200019010	-	End Turn Insulator R-900	
C200019011	-	Shield for End Bell (experimental) R-809-250	
C200019012	-	Dust Washer .04701M-(804)	
C200019013	-	Dust Washer .05001M-(804)	
C200019014	-	Dust Washer .05301M-(804)	
C200019015	-	Dust Washer .05601M-(804)	
C200019016	-	Slot Wedge	
C200019017	-	980-014-Insul. Ring	
C200019018	-	Slot Wedge (CM40812001)	
C200019019	-	Slot Wedge (CM40812001)	
C200019020	-	Date Plate Q Form (CT40800002)	
C200019021	-	Shaft Insulator (900) Rotor Sub	
C200019022	-	Contact Ring CR40941004 (Brass & Gold)	
C200019023	-	Solid Version of 551-012-700	
C200019024	-	Rot. Lam. CR909080023	
C200019025	-	Shaft	
C200019026	-	Pin (rolled) 851 Pinion 595 160 303 cut-off	
C200019027	-	Resistance Loop (851)	
C200019028	-	Resistance Loop (Disc 8) Large	
C200019029	-	Resistance Loop (Disc 8) Small	
C200019030	-	Washer DMCT .005	
C200019031	-	Groove Pin (Gearhead)	
C200019032	-	Spacer (DEI-531)	
C200019033	-	Shield Assy (809)	
C200019034	-	Ident # Pg #4 CV90801002	
C200019035	-	Brush Block CR40911028	
C200019036	-	DEI-546 15 Slot	
C200019037	-	DEI-546 15 Slot Stack (above)	
C200019038	-	Data I.D. Y844-001-A	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019039	-	Data I.D. Y844-003-A	
C200019040	-	Plate & Clamp CL40822002	
C200019041	-	Spacer CL40822002	
C200019042	-	Spacer CL40822002	
C200019043	-	End Insulator CL40822002	
C200019044	-	End Insulator CL408	
C200019045	-	Shield CL40822002	
C200019046	-	211015 Rev.F	
C200019047	-	Super Seded By 311002144	
C200019048	-	Brass CR40980012	
C200019049	-	Replace 177 Hubs 0A-5255	
C200019050	-	Now 333002454	
C200019051	-	Unison-2055- 2 Ring	
C200019052	-	Unison Brush & Insert Assy #1	
C200019053	-	Unison Brush & Insert Assy #2	
C200019054	-	Unison Long Brush 200032914 #1 position	
C200019055	-	Unison Long Brush 200032915 #2	
C200019056	-	Obsolete per NOC #24850	
C200019057	-	Unison Brush Wire Baker #1534 .010 New #5348	
C200019058	-	Unison Brush Wire .0003 Dia. (for 323331)	
C200019059	-	Super seded By 200062293	
C200019060	-	Unison Sleeve (unison # 2087-4)	
C200019061	-	New Palladium to Replace 200019056 per C0-2290-EHF	
C200019062	-	Unison Lead & Brush Assy. Black used on 326780BB	
C200019063	-	Unison (Red) Lead & Brush Assy.	
C200019064	-	Unison (Yellow) Lead & Brush Assy.	
C200019065	-	R-5-1A Data Stamp	
C200019066	-	R-5-2A Data Stamp	
C200019067	-	R-5-3A Data Stamp	
C200019068	-	R-5-4A Data Stamp	
C200019069	-	R-5-6A Data Stamp	
C200019070	-	E-35-21B Data Stamp	
C200019071	-	Unison Brush for 558042365	
C200019072	-	Brush (9608) Temp.	
C200019073	-	Brush / Hi-Altitude	
C200019074	-	Return path CR40809011	
C200019075	-	Super Seded By 200042B20	
C200019076	-		
C200019077	-	Short Old 375022103 use on 806	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019078	-	Gear CR40126001 LP	
C200019079	-	End Turn	
C200019080	-	Decal CY40844001	
C200019081	-	Decal CY40844002	
C200019082	-	Decal CY40844003	
C200019083	-	Decal CY40844004	
C200019084	-	Decal CY40844005	
C200019085	-	Collins Clean Slip Ring Assy.	
C200019086	-	230 279 Lam with 372+/-001	
C200019087	-	Grade 3 Bearings	
C200019088	-	Teflon Slot Wedge	
C200019089	-	311 040 441 Bearing	
C200019090	-	DEI-762 Housing	
C200019091	-	CT40685002 (120NM Screw) 3.00 Long	
C200019092	-	Cover CI 4058500 (FS-J)	
C200019093	-	Dummy Shaft for 236405 Cast	
C200019094	-	Stacks Made With 200019046 Lams	
C200019095	-	PA-91C Lams 211015 with 498 Bore	
C200019096	-	PA-66C Lams R-119 552 002 137	
C200019097	-	PA-78A Lams R-110211014>498 Bore	
C200019098	-	Shaft Special 340002176	
C200019099	-	Housings From Strongsville	
C200019100	-	End Cap Assy 931-005	
C200019101	-	415280-1 Slip Ring Assy.	
C200019102	29	SEE OP SHEETS	NOC-87916
C200019103	-	511-072-100 End Paper to Dev#413	
C200019104	-	Terminal Block-415280	
C200019105	-	PN5319 Bearing Support	
C200019106	-	Molded Hub & Ring Assy. EI-17240	
C200019107	-	Void	
C200019108	-	Void	
C200019109	-	End Bell Assy. (CM40126032)	
C200019110	-	Printed Circuit EI-17392	
C200019111	-	Brush & Spring Assy.of 558002160 Brush &309002151 Spring	
C200019112	-	Rotor Sub.CR009181	
C200019113	-	Cover CR00918163	
C200019114	-	Insulator	
C200019115	-	Spacer V-842	
C200019116	-	Experimental Slot Rotor	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019117	-	Cover (CT40800001)	
C200019118	-	Post (CT40800001"Q" Form)	
C200019119	-	Cover (CR90917001"Q" Form)	
C200019120	-	Shaft Sleeve	
C200019121	-	Cover (CT40800003) Q Form	
C200019122	-	Post (CT40800003) Q Form	
C200019123	-	Grommet (CT40800003) Q Form	
C200019124	-	Rotor Sub (ref. 551052413)	
C200019125	-	Rotor Sub (ref. 551052414)	
C200019126	-	Stator Stack 15 Slot R900	
C200019127	-	Rotor Sub (used in 551002652)	
C200019128	-	Obsolete See 551052223	
C200019129	-	Obsolete See 551052910	
C200019130	-	Rotor Sub. Used on 551002983	
C200019131	-	Shaft (CM41002009) "Q"Form	
C200019132	-	Rotor Sub Q Form CM41002009	
C200019133	-	Rotor (CM41002009) "Q" Form	
C200019134	-	Rotor (CR409110011)"Q" Form	
C200019135	-	Rotor (CR40901012)"Q" Form	
C200019136	-	Rotor Sub (CR40941005)R	
C200019137	-	Ret. Path-812-	
C200019138	-	Rotor Sub used on 329805	
C200019139	-	16 Slot Stator Stack	
C200019140	-	15 Slot Stator Stack	
C200019141	-	Stator Stack CR90119007	
C200019142	-	Obsolete per NOC #14072	
C200019143	-	Ring Assy. electric contact	
C200019144	-	Ring Assy. electric contact 3 ring	
C200019145	-	DEI-482 483 Special Stack	
C200019146	-	Mot. Rot. & Gear Assy.	
C200019147	-	Bearing 311040441	
C200019148	-	Bearing 31104032	
C200019149	-	VOID	
C200019150	-	Rotor Stack CM41016	
C200019151	-	Rotor Stack CM91015001	
C200019152	-	Obsolete See NOC 16525 & RN 88817	
C200019153	-	Obsolete See NOC 16525 & RN 88817	
C200019154	-	Obsolete See NOC 16525 & RN 88817	
C200019155	-	Obsolete See NOC 16525 & RN 88817	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019156	-	Obsolete See NOC 16525 & RN 88817	
C200019157	-	Stator	
C200019158	-	Rotor	
C200019159	-	Cover CU40806002	
C200019160	-	Shaft CR40980021	
C200019161	-	Rotor Sub Limited Production	
C200019162	-	Rotor Sub CR90917002	
C200019163	-	Rotor CR40839009	
C200019164	-	STA & HSG CR40839009	
C200019165	-	Rotor CM41015005	
C200019166	-	Cover CV40846002	
C200019167	-	Magnet CV40846002	
C200019168	-	Housing M) CV40846002	
C200019169	-	Support) CV40846002	
C200019170	-	Housing (G) CV40846002	
C200019171	-	Rotor CM41032020-021	
C200019172	-	Brush & Holder	
C200019173	-	Trimmer CR40860014	
C200019174	-	Rotor CR40908014	
C200019175	-	Rotor CV90801009 GR	
C200019176	-	SHIM (Spacer from 312002113)	
C200019177	-	45 1/2 Gage Wire CM41002028	
C200019178	-	Shaft CL40820003	
C200019179	-	Pop on Ring Assy. DMCT	
C200019180	-	37 1/2 Gage Wire	
C200019181	-	Drag Cup	
C200019182	-	CT40585002 Decal No Sheet	
C200019183	-	STA. &HSG.	
C200019184	-	Shaft Blank	
C200019185	-	Gen. Housing V846001	
C200019186	-	Support V846001	
C200019187	-	Rotor R860012	
C200019188	-	Obsolete	
C200019189	-	Ident. Markem	
C200019190	-	230990 with 254	
C200019191	-	CT90110020 Shaft	
C200019192	-	R-119-023 Special Rotor	
C200019193	-	Core Rotor CT00173003	
C200019194	-	Data Stamp For CR40860021	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019195	-	Obsolete	
C200019196	-	Obsolete	
C200019197	-	Obsolete	
C200019198	-	Insulator Disc CR1119021	
C200019199	-	Obsolete Reidentified as C315003145 NOC # 37005	
C200019200	-	Brush & Holder	
C200019201	-	Brush & Holder 941-007	
C200019202	-	Brush & Holder	
C200019203	-	Brush & Holder 900-00302 Closed (obsolete)	
C200019204	-	Brush & Holder Closed Loop	
C200019205	-	Brush & Holder	
C200019206	-	Obsolete See 558042235	
C200019207	-	Obsolete See 558042015	
C200019208	-	Brush & Holder 911-028-0	
C200019209	-	Obsolete See 558042145	
C200019210	-	Obsolete See 558042144	
C200019211	-	Brush & Holder CM410110021 (Q Form)	
C200019212	-	Replaced with 550042280	
C200019213	-	Brush & Holder	
C200019214	-	Brush & Holder Same As 153 Except 114 Brush	
C200019215	-	Brush & Holder Assy. (CM41012004)	
C200019216	-	Brush & Holder Assy. (CM41012004)	
C200019217	-	Brush & Holder Assy. (CM40931004 Q Form)	
C200019218	-	Brush & Holder (CR90917001 Q Form)	
C200019219	-	Post & Holder (CR90910007)	
C200019220	-	Brush & Holder (CR90910007)	
C200019221	-	Obsolete See 558042609	
C200019222	-	Brush, Holder & Lead Assy (CR40901016)	
C200019223	-	Obsolete See 200019454	
C200019224	-	Brush Block Assy. R235	
C200019225	-	Brush Block Assy. R245	
C200019226	-	Stack Rotor CM41080002	
C200019227	-	Stack CM41002005	
C200019228	-	Lamination CM41002005	
C200019229	-	End Bell CL40822002	
C200019230	-	Housing CL40822002	
C200019231	-	Shaft CL40822002	
C200019232	-	340 012 200 (Female Thrd.)	
C200019233	-	Bearing B2A51B15661 (Grad.3)	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019234	-	Bearing 311009174 (Grad.3)	
C200019235	-	Bearing 311004415 (Grad.3)	
C200019236	-	S&H With 30" Leads Temp.	
C200019237	-	Same As 328285 Except Unbalanced Electrical DC Resistance	
C200019238	-	Shaft For CR40980027	
C200019239	-	Spacer Spec. For CR40980027	
C200019240	-	Obsolete See 550032127	
C200019241	-	Spacer DEI #767	
C200019242	-	Shaft DEI #767	
C200019243	-	Rotor DEI #767	
C200019244	-	Cover	
C200019245	-	Size 8 Rotor Lam Special O.D. .4093	
C200019246	-	Size 8 Stator Lam Special I.D. .907	
C200019247	-	311040032 With Grease M812	
C200019248	-	311042813 With Grease M812 W2	
C200019249	-	Back Shaft 558 052 123	
C200019250	-	RTR Stack (R900 Whirl Clad)	
C200019251	-	RTR Stack (R900 Without Insulators)	
C200019252	-	Slip Ring Assy.	
C200019253	-	CL40822002 Bearing	
C200019254	-	Shaft	
C200019255	-	Rotor Sub.	
C200019256	-	Rotor	
C200019257	-	Rotor 214 471 Except Use Lam & Casting SOA #6029	
C200019258	-	Shaft & Bellows	
C200019259	-	Rotor Sleeve (375022102) Temp.	
C200019260	-	HSG & Magn. Assy.	
C200019261	-	Connector #14-20 P/RG Q Form	
C200019262	-	CMO SS Housing Finished MTG Dia. 512 002 062	
C200019263	-	CMO Black Housing Short Nose 553002067 MEMO #151	
C200019264	-	CMO End Bell Black Short Nose 554 002 373 MEMO #151	
C200019265	-	Spacer Disc 8	
C200019266	-	Housing (Disc 11) Spec. MTR. HSG.	
C200019267	-	End Bell	
C200019268	-	RTR. SUB (K11) Rep. 551052219 For 329808 RTR.	
C200019269	-	Obsolete Reidentified as C511002612 NOC #37005	
C200019270	-	Special short shoulder 340012458	
C200019271	-	Special Rotor 551070107 Final Assy.	
C200019272	-	Resistor 1/2 Same as 100005051 Except	

PRODUCT LOG (See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019273	-	LAM & COND. Bar	
C200019274	-	Comm. Shield	
C200019275	-	Super Seded By 200019775	
C200019276	-	Stack (stator)	
C200019277	-	HUB For CM41012008	
C200019278	-	L.P. End Bell	
C200019279	-	Shield Assy (821)	
C200019280	-	Rotor	
C200019281	-	Lead Wire Protector CMO-	
C200019282	-	Lead Wire Protector CJO-	
C200019283	-	Rotor	
C200019284	-	Super Seded BY 333002290	
C200019285	-	311 042 816 DC33 Lube	
C200019286	-	311 009 172	
C200019287	-	311 045 402	
C200019288	-	Shield Assy. -820	
C200019289	-	Support & Magnet	
C200019290	-	HSG. Assy. (Ref. 101672)	
C200019291	-	Magnet Assy.	
C200019292	-	Magnet Assy.	
C200019293	-	Shim	
C200019294	-	Brush Block	
C200019295	-	Washer For 110, 111, 112, 160	
C200019296	-	Bracket Clamp	
C200019297	-	Sleeve Marker Cable	
C200019298	-	Decal U304 001-204 A	
C200019299	-	Bearing For CM41001012 Replaces 122 Bearing	
C200019300	-	PN-6013	
C200019301	-	PN-561A	
C200019302	-	Per 226753	
C200019303	-	Shaft 931-021-A	
C200019304	-	Shaft 512-002-A	
C200019305	-	Shaft	
C200019306	-	Super Seded By 330-437-8	
C200019307	-	B21-01E-B Shaft	
C200019308	-	Sil Rubber Insulator	
C200019309	-	Bearing Cap & Ins. & Term. Assy. 507	
C200019310	-	Shaft	
C200019311	-	Shaft, Hub. Ring, & Lead Assy.	

PRODUCT LOG (See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019312	-	Shaft Q Form	
C200019313	-	Sleeve Q Form	
C200019314	-	Sleeve Q Form	
C200019315	-	Shaft Q Form	
C200019316	-	Super Seded By 308002110	
C200019317	-	Super Seded By 308002111	
C200019318	-	El on R-200-1A-A Shaft	
C200019319	-	El on R-200-1A-A Shaft	
C200019320	-	Shaft	
C200019321	-	Shaft (900-006,940-008)	
C200019322	-	Shaft (982-047,982-048)	
C200019323	-	Super Seded By 340002450	
C200019324	-	Super Seded By 200012174	
C200019325	-	Housing Remachined 100 for 980	
C200019326	-	Shaft Q Form	
C200019327	-	Shaft Q Form	
C200019328	-	Shaft Q Form	
C200019329	-	Lam 16 Slot	
C200019330	-	Shaft Q Form	
C200019331	-	Shaft	
C200019332	-	Shaft	
C200019333	-	CV90801001 Shaft	
C200019334	-	Shaft Q Form	
C200019335	-	Super Seded By 340 002 081	
C200019336	-	Super Seded By 553 002 029	
C200019337	-	Shaft Revised Q Form	
C200019338	-	Shaft, Hub.,Ring, & Lead Assy.	
C200019339	-	Housing (Motor) Q Form	
C200019340	-	Housing (Gen) Q Form	
C200019341	-	Shaft Q Form	
C200019342	-	Shaft Q Form	
C200019343	-	Shaft Q Form	
C200019344	-	Shaft Q Form	
C200019345	-	Stator Stack Assy	
C200019346	-	Shaft Q Form	
C200019347	-	Shaft	
C200019348	-	Spacer To Be Used In 821 Housing To Blank 822 Housing	
C200019349	-	Housing Requested By R. Jack's	
C200019350	-	Rotor Sub. Q Form	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019351	-	Obsolete See 551052296	
C200019352	-	Shaft Q Form	
C200019353	-	Rotor Q Form	
C200019354	-	Shaft Q form	
C200019355	-	Obsolete See 553 002 063	
C200019356	-	EI For Ident. Purp. Return Path 779 Engineering	
C200019357	-	Plate Retainer Special	
C200019358	-	End Bell Special	
C200019359	-	Gen. Stack Special	
C200019360	-	Motor Stack Special	
C200019361	-	P-821 Spacer To Use 210 Shaft	
C200019362	-	804003 Shaft Sleeve	
C200019363	-	Teflon Shield	
C200019364	-	Brush Q Form	
C200019365	-	Bearing	
C200019366	-	Hub. Q Form Special	
C200019367	-	Shaft Q Form Special	
C200019368	-	Special Dust Washer	
C200019369	-	Shield	
C200019370	-	CR#30438 319 002 108 Pin Straight Less Head	
C200019371	-	Shaft "Q"	
C200019372	-	Rotor Sub "Q"	
C200019373	-	Rotor "Q"	
C200019374	-	Special Insulator	
C200019375	-	Shaft "Q"	
C200019376	-	Obsolete See 551102120	
C200019377	-	Obsolete See 200022454	
C200019378	-	Shaft	
C200019379	-	Sleeve Rotor Q Form	
C200019380	-	Shaft Q Form	
C200019381	-	Housing Q Form	
C200019382	-	Shaft Per Verbal - A.G. Lang #2381	
C200019383	-	Housing Q Form	
C200019384	-	Shaft Q Form	
C200019385	-	Support Q Form	
C200019386	-	Obsolete See 509 002 046	
C200019387	-	Sleeve Shaft	
C200019388	-	Obsolete See 330 282 - 13	
C200019389	-	Shaft Q Form	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019390	-	Shaft Q Form	
C200019391	-	Sleeve Shaft	
C200019392	-	Obsolete See 308 002 120	
C200019393	-	End Bell	
C200019394	-	Shaft Per J. Farrell SOA	
C200019395	-	Obsolete	
C200019396	-	Obsolete See 301 022 086	
C200019397	-	Obsolete See 551 102 101	
C200019398	-	Housing	
C200019399	-	Housing	
C200019400	-	End Bell	
C200019401	-	Brush DC Tach	
C200019402	-	STA. Stack	
C200019403	-	DC Tach Magnet -Perm.	
C200019404	-	End Bell Tinkertoy EI-17346	
C200019405	-	Housing Tinkertoy EI-17346	
C200019406	-	Replaced with 340 002 174	
C200019407	-	Post	
C200019408	-	Cover	
C200019409	-	Rotor Slug	
C200019410	-	Slip Ring Assy. Molded With FS-5	
C200019411	-	Obsolete Per NOC #9054	
C200019412	-	Obsolete Per NOC #9054	
C200019413	-	Spacer LAM & COND. Bar Assy.	
C200019414	-	Spacer LAM Assy.	
C200019415	-	Rotor Slug	
C200019416	-	End Bell - AL. 500's Tinkertoy	
C200019417	-	End Bell Steel 900	
C200019418	-	Housing AL. 500's	
C200019419	-	Housing Steel 900	
C200019420	-	Sleeve	
C200019421	-	Obsolete See 553 002 536	
C200019422	-	Obsolete See 315 002 508	
C200019423	-	Shaft Q Form	
C200019424	-	End Bell	
C200019425	M	Gear Blank Disc 8 Gearhead (SEE OPERATION SHEETS)	NOC 78448
C200019426	M	Gear Blank Disc 8 Gearhead (SEE OPERATION SHEETS)	NOC 78448
C200019427	M	Gear Blank Disc 8 Gearhead (SEE OPERATION SHEETS)	NOC 78448
C200019428	M	Gear Blank Disc 8 Gearhead (SEE OPERATION SHEETS)	NOC 78448

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019429	L	Gear Blank Disc 8 Gearhead (SEE OPERATION SHEETS)	NOC 78447
C200019430	L	Gear Blank Disc 8 Gearhead (SEE OPERATION SHEETS)	NOC 78447
C200019431	-	553 002 060 Housing With RTR. Complete	
C200019432	-	Shaft	
C200019433	-	R119 STA. LAM. (DEI #0338)	
C200019434	-	Obsolete Per NOC #11337	
C200019435	-	End Bell	
C200019436	-	Housing	
C200019437	-	Stator	
C200019438	-	Shaft (Q)	
C200019439	-	Spacer For 551 102 165	
C200019440	-	Shaft Q Form	
C200019441	-	Rotor Sub	
C200019442	-	Shaft	
C200019443	-	Return Path 809-023-08 (557072126)	
C200019444	-	Special Housing L.P.	
C200019445	-	Obsolete See 558002162	
C200019446	-	Shaft Q Form	
C200019447	-	Rotor Sub Q Form	
C200019448	-	Obsolete	
C200019449	-	Housing 553002755	
C200019450	-	R 200 RTR. LAM. (same as old 552002100)	
C200019451	-	R 200 RTR. LAM. Assy.	
C200019452	-	Obsolete See 551052615	
C200019453	-	Obsolete See 207838-7 #L-10	
C200019454	-	RTR. LAM. Assy.	
C200019455	-	Threaded Plug	
C200019456	-	Shaft (use OP#20-#113;330437-1) Q Form	
C200019457	-	LAM. 211004 Small I.D. West Brook Ordered 46,000 Wrong Rev.	
C200019458	-	Shaft For 551 012 457	
C200019459	-	Shaft For CR40948019	
C200019460	-	Rotot Sub For CR40948019	
C200019461	-	Rotor (11Cx4E)	
C200019462	-	Rotor (11CDx4D)	
C200019463	-	STA. & HSG. On 550 032 101 For CM41042001	
C200019464	-	Rotor	
C200019465	-	Rotor Shaft	
C200019466	-	Rotor Sub.	
C200019467	-	Shaft Q Form	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019468	-	Bearing Shield (509 002 005) SM. I.D. .117	
C200019469	-	Bearing Shield (509 002 -006) SM. I.D. 176	
C200019470	-	Shaft For 214470 (ref. 214 465)	
C200019471	-	Shaft For 214471 (ref. 340002898)	
C200019472	-	Housing	
C200019473	-	Housing	
C200019474	-	Shaft (replaces 340012787)	
C200019475	-	Cover	
C200019476	-	Post Spacer	
C200019477	-	Shaft (T110-23C) #88	
C200019478	-	Obsolete Per NOC #9005	
C200019479	-	553 002 195 With Knurl (870 SED)	
C200019480	-	Motor HSG.	
C200019481	-	Gen. HSG.	
C200019482	-	Data Plate	
C200019483	-	Obsolete See 340010450	
C200019484	-	Rotor	
C200019485	-	Shaft For 220 187 (ref.214465)	
C200019486	-	Spacer Ring Temp. To Position Rear Housing	
C200019487	-	Spacer Ring To Position Stack	
C200019488	-	Colored Shields For All Bearings (stock # No Op. Sheets)	
C200019489	-	Color Coded Wire For All Bearings (stock # No. Op. Sheets)	
C200019490	-	1001-2C MFL "D"	
C200019491	-	Slip Ring 558 052 173	
C200019492	-	Cover	
C200019493	-	Rotor Sub. Assy.	
C200019494	-	Term. Block	
C200019495	-	Brush Block	
C200019496	-	Cover	
C200019497	-	30 Ga. Silver Plated 135 Alloy Teflon	
C200019498	-	Magnet Ring & Housing Assy.	
C200019499	-	Gear	
C200019500	-	Stator Lam. Assy. - 2 Extra Lams. (552052177 stack) (stolen by T. Cole)	
C200019501	-	Spacer R-9608	
C200019502	-	Insulator Disc .005 Mylar	
C200019503	-	Insulator Disc .002 Mylar	
C200019504	-	Return Path Lam. Assy. 51 Lams.	
C200019505	-	Return Path Lam. Assy. 78 Lams.	
C200019506	-	Stator Stack (inner) RT. SHT. #G-12 Disc 8	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019507	-	Stator Stack (inner) RT. SHT. #G-12 Disc 8	
C200019508	-	Sin. Coat M.W. - Size 37	
C200019509	-	Sin. Coat M.W. - Size 40	
C200019510	-	Sin. Coat M.W. - Size 41	
C200019511	-	Sin. Coat M.W. - Size 42	
C200019512	-	Sin. Coat M.W. - Size 43	
C200019513	-	Sin. Coat M.W. - Size 44	
C200019514	-	Sin. Coat M.W. - Size 38	
C200019515	-	Sin. Coat M.W. - Size 39	
C200019516	-	End Bell 554002512 .113 (.095)	
C200019517	-	Gen. HSG. Assy.	
C200019518	-	HSG. (special R809 for Jersey)	
C200019519	-	Cover	
C200019520	-	DK-6 Whirlclad power	
C200019521	-	DKI-03 Whirlclad power	
C200019522	-	Rotor	
C200019523	-	Superseded by 200 062 487	
C200019524	-	DEI Bearing 490194014 G300 Grease	
C200019525	-	DEI -616 MW-32 PTX 200	
C200019526	-	DEI-616 MW-35 PTX 200	
C200019527	-		
C200019528	-	Retainer Ring - Substitute For 352009037 With Ears	
C200019529	-	Gear	
C200019530	-	DK 6 Gray DEI-610	
C200019531	-	Rotor Casting	
C200019532	-	392 002 125 PER CR118537	
C200019533	-	Metal Cal.	
C200019534	-	Shaft (same as 340010365 except a=.1200 & b=.574)	
C200019535	-	RTR. Sub. same as 551 052 599 except use shaft #200019534&659	
C200019536	-	Rotor same as 551071301 except use 200019535 RTR. Sub. & Wind 551012051	
C200019537	-	RTR. Sub. using 200019534 shaft -588 Hub., Ring, & Lead, -685 Stack	
C200019538	-	Rotor using 200019537 & wound like 55102050	
C200019539	-	Superseded by 552 052 253	
C200019540	-	Special Shaft 340 012 301	
C200019541	-	Changed to 200042290	
C200019542	-	Cover	
C200019543	-	Brush wire for 558042095 -096	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019544	-		
C200019545	-	Obsolete	
C200019546	-	Obsolete	
C200019547	-	Rotor	
C200019548	-	Rotor Sub	
C200019549	-	Rtr. Lam. Assy. (added 3 Lams.)	
C200019550	-	Bearing Dia.'s Unburnished 551012311 (rotors for Japan without burnish to finish dia.)	
C200019551	-	Bearing Dia.'s Unburnished 200019848 (rotors for Japan without burnish to finish dia.)	
C200019552	-	Bearing Dia.'s Unburnished 551002882 (rotors for Japan without burnish to finish dia.)	
C200019553	-	Bearing Dia.'s Unburnished 551002853 (rotors for Japan without burnish to finish dia.)	
C200019554	-	Bearing Dia.'s Unburnish 326154 (rotors for Japan without burnish to finish dia.)	
C200019555	-	Bearing Dia.'s Unburnished 330438-1 (rotors for Japan without burnish to finish dia.)	
C200019556	-	Bearing Dia.'s Unburnished 551002943 (rotors for Japan without burnish to finish dia.)	
C200019557	-	Bearing Dia.'s Unburnished 328231 (rotors for Japan without burnish to finish dia.)	
C200019558	-	Bearing Dia.'s Unburnished 551002016 (rotors for Japan without burnish to finish dia.)	
C200019559	-	Bearing Dia.'s Unburnished 551002706 (rotors for Japan without burnish to finish dia.)	
C200019560	-	Bearing Dia.'s Unburnished 551002003 (rotors for Japan without burnish to finish dia.)	
C200019561	-	Bearing Dia.'s Unburnished 236878 (rotors for Japan without burnish to finish dia.)	
C200019562	-	Bearing Dia.'s Unburnished 551002671 (rotors for Japan without burnish to finish dia.)	
C200019563	-	Bearing Dia.'s Unburnished 239143 (rotors for Japan without burnish to finish dia.)	
C200019564	-	Bearing Dia.'s Unburnished 551002653 (rotors for Japan without burnish to finish dia.)	
C200019565	-	Bearing Dia.'s Unburnished 551002811 (rotors for Japan without burnish to finish dia.)	
C200019566	-	No. 30 Wire Kynar Insulation Raychem Slip Ring Wire	
C200019567	-	Obsolete	
C200019568	-	Obsolete	
C200019569	-	Obsolete	
C200019570	-	Obsolete	
C200019571	-	Obsolete	
C200019572	-	Gearhead Assy.	
C200019573	-	DEI- Replaces 101 728 666 Blue (for Asheville use only)	
C200019574	-	Obsolete	
C200019575	-	Obsolete	
C200019576	-	Obsolete	
C200019577	-	Obsolete	
C200019578	-	Obsolete	
C200019579	-	LAM. & COND. Bar Assy.	
C200019580	-	CMO-LAM. (Stator) 15 Slot	
C200019581	-	Superseded by 552052173	
C200019582	-	CMO- 16 Slot LAM.	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019583	-	Superseded by 552052172	
C200019584	-	Superseded by 552052177	
C200019585	-	CMO. .014 THK. 15 Slot	
C200019586	-	CMO. .014 THK. 15 Slot Stack	
C200019587	-	Superseded by 552052301	
C200019588	-	Hub., Ring, & Lead Assy. Same as 200012237 Except "C" is 240	
C200019589	-	Deleted	
C200019590	-	Deleted	
C200019591	-	Deleted	
C200019592	-	Kynar Lead Wire - CMO	
C200019593	-	Superseded by 553002750	
C200019594	-	End Bell	
C200019595	-	Superseded by 553002751	
C200019596	-	Sleeve Rotor	
C200019597	-	Rotor	
C200019598	-	Drag Cup	
C200019599	-	Rotor LAM. Assy.	
C200019600	-	PN 6020	
C200019601	-	PN 6021	
C200019602	-	PN8000-1-25,-30	
C200019603	-	PN8000-2,-24	
C200019604	-	PN8000-3	
C200019605	-	PN8000-4,-20	
C200019606	-	PN8000-6	
C200019607	-	PN8000-7,-27	
C200019608	-	PN8000-9	
C200019609	-	PN8000-10	
C200019610	-	PN8000-11,-28	
C200019611	-	PN8000-12,-23	
C200019612	-	PN8000-13	
C200019613	-	PN8000-14	
C200019614	-	PN8000-17	
C200019615	-	PN8000-21	
C200019616	-	PN8000-22	
C200019617	-	PN8000-26	
C200019618	-	PN8000-29	
C200019619	-	PN8000-31	
C200019620	-	PN8000-32	
C200019621	-	PN8000-33	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019622	-	PN8000-34	
C200019623	-	PN8000-50	
C200019624	-	PN8000-51	
C200019625	-	PN8000-52	
C200019626	-	PN8000-53	
C200019627	-	C200002118 (uses this part number)	
C200019628	-	Shaft, Hub., Ring, & Lead	
C200019629	-	Shaft, Hub., Ring, & Lead Mach.	
C200019630	-	Rotor Sub. Assy.	
C200019631	-	Rotor	
C200019632	-	Rotor Sub. Assy.	
C200019633	-	Rotor Assy.	
C200019634	-	Rotor Sub. Assy.	
C200019635	-	Rotor	
C200019636	-	Shaft, S.R., Sleeve Mach.	
C200019637	-	Rotor Sub.	
C200019638	-	Rotor	
C200019639	-	Rotor	
C200019640	-	S.S. & S.R. Mach.	
C200019641	-	Shaft & LAM.	
C200019642	-	Rotor	
C200019643	-	Stator Motor	
C200019644	-	Stator & HSG.	
C200019645	-	Rotor Sub. Assy.	
C200019646	-	Rotor	
C200019647	-	PN6605 Brush Holder Assy.	
C200019648	-	PN6604 Brush Holder Assy.	
C200019649	-	Obsolete See 551002075	
C200019650	-	PN5002	
C200019651	-	PN5004	
C200019652	-	PN5611	
C200019653	-	PN5612	
C200019654	-	PN6602	
C200019655	-	PN6603	
C200019656	-	Stack Assy. Rotor	
C200019657	-	New Lamination Assy.	
C200019658	-	PN9002	
C200019659	-	PN9003	
C200019660	-	PN9004	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019661	-	Insulator Brush Block 5004	
C200019662	-	Rotor Lam. Assy.	
C200019663	-	Rotor Sub/A	
C200019664	-	Same as 231901 Except Material is Mylar	
C200019665	-	Same as 230276 Except Material is Mylar	
C200019666	-	Lam. Assy.	
C200019667	-	Stator & HSG. Assy. 1.0000	
C200019668	-	Shaft, Hub., Ring, & Lead Assy. 200002422	
C200019669	-	C551 002 301 Stator Retaining Slot Wedge	
C200019670	-	Rotor Sub. Assy. Q Form	
C200019671	-	Rotor Q Form	
C200019672	-	Rotor Sub. Q Form	
C200019673	-	Rotor Q Form	
C200019674	-	Shaft, Hub., & Ring, Assy.	
C200019675	-	Rotor S/A	
C200019676	-	Rotor	
C200019677	-	Rotor S/A	
C200019678	-	Rotor	
C200019679	-	Exp. Insulator Seal	
C200019680	-	PN6010	
C200019681	-	PN6011	
C200019682	-	Reserved for R200 Lam. Assy.	
C200019683	-	Obsolete	
C200019684	-	Obsolete	
C200019685	-	Rotor S/A	
C200019686	-	Rotor Assy.	
C200019687	-	Lamination Assy.	
C200019688	-	C551 002 850 Rotor	
C200019689	-	C551 002 851 Rotor	
C200019690	-	C551 002 852 Rotor	
C200019691	-	C551 002 853 Rotor	
C200019692	-	C551 002 854 Rotor	
C200019693	-	C551 002 855 Rotor	
C200019694	-	C551 002 857 Rotor	
C200019695	-	C551 052 029 Rotor Sub.	
C200019696	-	C551 052 030 Rotor Sub.	
C200019697	-	C551 052 031 Rotor Sub.	
C200019698	-	C340 002 084 Shaft	
C200019699	-	C340 002 085 Shaft	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019700	-	Brush Block Assy.	
C200019701	-	Balloon Cloth Insulation for Inner Stator per EI#17186	
C200019702	-	Shield, Molded Insulator per EI#17191 (collection corp.)	
C200019703	-	Rotor Sub.	
C200019704	-	Rotor	
C200019705	-	Insulator EI#17193	
C200019706	-	Obsolete see 200 012 070	
C200019707	-	Spacer (fish paper) EI#17181	
C200019708	-	Shaft, Hub., Ring, & Lead	
C200019709	-	Rotor S/A	
C200019710	-	Rotor	
C200019711	-	Shaft, Hub, Ring, & Lead	
C200019712	-	Rotor S/A	
C200019713	-	Rotor	
C200019714	-	CR-67632 Insulation (slot)	
C200019715	-	Changed to Rotor Sub 8-18 60 (551012138)	
C200019716	-	(901-2A) STA. & HSG. (special leads)	
C200019717	-	(901-018) STA. & HSG. (special leads)	
C200019718	-	Not Required	
C200019719	-	(941-25) STA. & HSG. (special leads)	
C200019720	-	(901-2A) End Units (special leads)	
C200019721	-	(901-2E) End Units (special leads)	
C200019722	-	(901-018) End Units (special leads)	
C200019723	-	Not Required	
C200019724	-	(941-2E) End Units (rotor)	
C200019725	-	(558 042 172)	
C200019726	-	(558 042 174)	
C200019727	-	(558 042 176)	
C200019728	-	911-025 551002130	
C200019729	-	Hub (980)	
C200019730	-	Insulator (501&806)	
C200019731	-	Insulator (501&806)	
C200019732	-	Insulator (501&806)	
C200019733	-	Hub. Insulator	
C200019734	-	Rotor Lam. Assy.	
C200019735	-	R-1011-014 Shaft	
C200019736	-	RTR. Sub. (987-047 & 987-048)	
C200019737	-	Rotor (987-047)	
C200019738	-	Rotor (987-048)	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019739	-	Rotor Sub. R1011-014	
C200019740	-	Rotor	
C200019741	-	CR-67708 Insulation-Interphase 19/32"	
C200019742	-	CR-67708 Insulation-Interphase 15/64"	
C200019743	-	RTR. Sub. 982-046	
C200019744	-	Rotor	
C200019745	-	Obsolete see 551 052 486	
C200019746	-	Rotor Q Form	
C200019747	-	Rotor Q Form	
C200019748	-	Lam. Assy.	
C200019749	-	Lam. Assy. Rotor	
C200019750	-	901-013 Stator	
C200019751	-	901-014	
C200019752	-	911-014	
C200019753	-	911-015	
C200019754	-	911-016	
C200019755	-	941-007	
C200019756	-	911-028-D STA. & HSG.	
C200019757	-	Rotor Sub. Q Form	
C200019758	-	Obsolete see 551 002 890	
C200019759	-	Obsolete see 509 002 169	
C200019760	-	Obsolete see 509 002 170	
C200019761	-	Rotor Q Form	
C200019762	-	Stator Q Form	
C200019763	-	STA. & HSG. Q Form	
C200019764	-	Insulator Rotor New Type	
C200019765	-	Rotor LAM. Assy. New Type	
C200019766	-	Rotor	
C200019767	-	Rotor Turned From 551 002 824	
C200019768	-	Rotor	
C200019769	-	Obsolete see 550 042 808	
C200019770	-	809-024 STA. & HSG.	
C200019771	-	809-023 STA. & HSG.	
C200019772	-	809-26B-B Sta. & HSG.	
C200019773	-	Stator & HSG.	
C200019774	-	Rotor Lam. Assy. Drum use 101 Lam.	
C200019775	-	Rotor Lam. Assy. use 102 Lam.	
C200019776	-	Rotor Lam. Assy. use 184 Lam.	
C200019777	-	Rotor Lam. Assy. Drum use 185 Lam.	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019778	-	STA. & HSG. Q Form	
C200019779	-	Inactive NOC # 19643	
C200019780	-	901-013-D STA. & HSG.	
C200019781	-	Inactive NOC # 19643	
C200019782	-	911-014-D	
C200019783	-	911-015-D	
C200019784	-	Inactive NOC # 19643	
C200019785	-	941-007-D STA. & HSG. same as ASC550042023 except 19 strand hook-up wire.	
C200019786	-	Stator & HSG.	
C200019787	-	931-005 983-002	
C200019788	-	Inactive NOC # 19643	
C200019789	-	Inactive NOC # 19643	
C200019790	-	Inactive NOC # 19643	
C200019791	-	SOA 1900- Partial Final Assy.	
C200019792	-	Rotor Sub. Q Form	
C200019793	-	Rotor Q Form	
C200019794	-	Motor Rotor 802-022	
C200019795	-	Rotor Sub. Q Form	
C200019796	-	Rotor Q Form	
C200019797	-	Shaft & LAM.	
C200019798	-	Shaft & LAM.	
C200019799	-	Rotor Q Form	
C200019800	-	Obsolete see 551 002 074	
C200019801	-	Motor Rotor	
C200019802	-	STA. & HSG. Q Form	
C200019803	-	Rotor Q Form	
C200019804	-	Rotor Q Form	
C200019805	-	STA. & HSG. Q Form	
C200019806	-	STA. & HSG. Q Form	
C200019807	-	Inactive NOC # 19643	
C200019808	-	Changed to new design (end unit)	
C200019809	-	Rotor Q Form	
C200019810	-	Obsolete see 551 012 900	
C200019811	-	Inactive NOC # 19643	
C200019812	-	Obsolete see 321 434-1	
C200019813	-	Obsolete see 551 070 836	
C200019814	-	Obsolete see 551 052 925	
C200019815	-	Rotor Q Form	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019816	-	Rotor (EI # 18913) (923-001)	
C200019817	-	STA. & HSG. (EI #18913) (923-001)	
C200019818	-	Obsolete see 550 042 727	
C200019819	-	Obsolete see 551 002 882	
C200019820	-	Shaft & LAM. Assy.	
C200019821	-	STA. & HSG. (EI #17356) (941-1)	
C200019822	-	C551 073 026 per NOC #24464	
C200019823	-	Rotor Sub. Q Form	
C200019824	-	Rotor Q Form	
C200019825	-	Rotor Q Form	
C200019826	-	Obsolete see 551 052 335	
C200019827	-	Rotor Q Form	
C200019828	-	STA. & HSG. (809-013) Q Form	
C200019829	-	Rotor 11 TR 4B EI #18911	
C200019830	-	STA. & HSG. 11 TR 4B EI #18911	
C200019831	-	Housing Q Form	
C200019832	-	STA. & HSG. Q Form	
C200019833	-	Rotor Q Form	
C200019834	-	Housing special per PWR	
C200019835	-	Inactive NOC # 19643	
C200019836	-	Rotor Sub.	
C200019837	-	Rotor	
C200019838	-	LAM. Assy.	
C200019839	-	Rotor Sub. Q Form	
C200019840	-	Rotor Q Form	
C200019841	-	STA. & HSG. Q Form	
C200019842	-	Rotor Cutt-off 225461 Q Form	
C200019843	-	Rotor per R. Jockel Special #191	
C200019844	-	Rotor Q Form	
C200019845	-	Obsolete see 551 012 908	
C200019846	-	Rotor Sub. Q Form	
C200019847	-	Obsolete see 551 012 901	
C200019848	-	Rotor Q Form	
C200019849	-	Obsolete see 550 032 312	
C200019850	-	Rotor Sub. Q Form	
C200019851	-	Rotor Q Form	
C200019852	-	Lam. Assy. (Stack)	
C200019853	-	Shaft & Stack Assy.	
C200019854	-	Rotor (551 012 301 cut to .297)	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019855	-	Rotor Sub. Q Form	
C200019856	-	Rotor Q Form	
C200019857	-	Obsolete now C551073027 per NOC #24464	
C200019858	-	Rotor Q Form Incorrect	
C200019859	-	Rotor Stack Salient Pole	
C200019860	-	Rotor Sub EI #17297	
C200019861	-	Obsolete See 551 052 510	
C200019862	-	Rotor Q Form	
C200019863	-	Rotor Sub	
C200019864	-	Rotor Q Form	
C200019865	-	Inactive NOC # 19643	
C200019866	-	Housing	
C200019867	-	Obsolete Now C551073028 Per "D" Rev. of Q Form	
C200019868	-	Rotor Q Form	
C200019869	-	Inactive NOC # 19643	
C200019870	-	Lam. Assy.	
C200019871	-	Obsolete See (551070030-200022459)	
C200019872	-	Rotor Q Form	
C200019873	-	STA. & HSG. Q Form	
C200019874	-	STA. & HSG. Q Form	
C200019875	-	Stator Q Form	
C200019876	-	Rotor Q Form	
C200019877	-	Inner Sta. & Support	
C200019878	-	STA. & HSG. Q Form	
C200019879	-	Sta. & Hsg.	
C200019880	-	Rotor Q Form	
C200019881	-	Superseded by C551071674	
C200019882	-	Obsolete see 551 002 098	
C200019883	-	Rotor Stack Assy.	
C200019884	-	Shaft & Lam.	
C200019885	-	Rotor Sub. Q Form	
C200019886	-	Rotor Q Form	
C200019887	-	Rotor Q Form	
C200019888	-	Rotor Q Form	
C200019889	-	Rotor Q Form	
C200019890	-	STA. & HSG. Q Form	
C200019891	-	STA. & HSG. Q Form	
C200019892	-	Rotor Sub. Q Form	
C200019893	-	Rotor Q Form	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019894	-	Rotor Q Form	
C200019895	-	STA. & HSG. Q Form	
C200019896	-	Hsg., Gear, & Slip Ring Assy. Q Form	
C200019897	-	Motor Rotor Q Form	
C200019898	-	Stator Q Form	
C200019899	-	Superseded by 550 032 439	
C200019900	-	Sta. & Supp. Assy. Q Form	
C200019901	-	Gen. Lam. Assy.	
C200019902	-	Housing	
C200019903	-	Rotor Q Form	
C200019904	-	Sta. & Hsg.	
C200019905	-	Rear Hsg. 553002286	
C200019906	-	Obsolete see 550 032 320	
C200019907	-	Lam. Assy.	
C200019908	-	Obsolete see 200 019 651	
C200019909	-	Rotor	
C200019910	-	Sta. & Hsg.	
C200019911	-	Sta. & Support	
C200019912	-	Rotor	
C200019913	-	Obsolete see 551 052 326	
C200019914	-	Obsolete see 551 052 327	
C200019915	-	Obsolete see 551 052 328	
C200019916	-	Obsolete see 551 052 329	
C200019917	-	Obsolete see 551 052 331	
C200019918	-	Obsolete see 551 052 356	
C200019919	-	Obsolete see 551 052 357	
C200019920	-	Obsolete see 551 052 358	
C200019921	-	Obsolete see 551 052 371	
C200019922	-	Obsolete see 551 052 372	
C200019923	-	Obsolete see 551 052 373	
C200019924	-	Obsolete	
C200019925	-	Rotor	
C200019926	-	Obsolete see 550 032 448	
C200019927	-	Sta. & Hsg.	
C200019928	-	Sta & Hsg.	
C200019929	-	Obsolete see 200 012 926	
C200019930	-	Obsolete see 551 002 782	
C200019931	-	Obsolete see 550 030 537	
C200019932	-	Obsolete see 550 030 536	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019933	-	Housing Q Form	
C200019934	-	Rotor Q Form (run off no sheets)	
C200019935	-	STA. & HSG. Q Form	
C200019936	-	Obsolete see 550 032142	
C200019937	-	Sta. & Hsg.	
C200019938	-	Shaft, Hub, Ring, & Lead Assy	
C200019939	-	Inactive NOC # 19643	
C200019940	-	Rotor (L8)	
C200019941	-	Rotor (L12)	
C200019942	-	Sta. & Hsg.	
C200019943	-	Obsolete Superseded by C552052722 NOC # 42774	
C200019944	-	Rotor Stack	
C200019945	-	Sta. & Hsg.	
C200019946	-	Inner Sta. & Support	
C200019947	-	Rotor	
C200019948	-	Obsolete see 550 052 059	
C200019949	-	Sta. & Support	
C200019950	-	Obsolete	
C200019951	-	M. Rotor Drag Cup Assy.	
C200019952	-	Rotor (ref. 551 002 050)	
C200019953	-	Rotor Sub. (551 052 351)	
C200019954	-	Retaining Ring (.010 Thick)	
C200019955	-	C311 040 441 Bearing Grade	
C200019956	-	Obsolete	
C200019957	-	Obsolete	
C200019958	-	Obsolete	
C200019959	-	Obsolete	
C200019960	-	Obsolete	
C200019961	-	Obsolete	
C200019962	-	Obsolete	
C200019963	-	Obsolete	
C200019964	-	Obsolete	
C200019965	-	Obsolete	
C200019966	-	Obsolete	
C200019967	-	Obsolete	
C200019968	-	Obsolete	
C200019969	-	Obsolete	
C200019970	-	Obsolete	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200019971	-	New Design 326 766-1 (#s 971 thru 986 are temp. until new 119 HSG.'s& E.B.'s are avail. & old HSG.'s & E.B. 's are used up)	
C200019972	-	New Design 326 766-2	
C200019973	-	New Design 326 766-3	
C200019974	-	New Design 326 766-4	
C200019975	-	New Design 326 766-5	
C200019976	-	New Design 326 766-6	
C200019977	-	New Design 366 766-7	
C200019978	-	New Design 326 766-8	
C200019979	-	New Design 326 766-9	
C200019980	-	New Design 326 766-10	
C200019981	-	New Design 326 766-11	
C200019982	-	New Design 326 766-12	
C200019983	-	New Design 326 766-13	
C200019984	-	New Design 326 766-14	
C200019985	-	New Design 326 766-15	
C200019986	-	New Design 326 766-16	
C200019987	-	Obsolete	
C200019988	-	Obsolete	
C200019989	-	Obsolete	
C200019990	-	Obsolete	
C200019991	-	Obsolete	
C200019992	-	Obsolete	
C200019993	-	Obsolete	
C200019994	-	Obsolete	
C200019995	-	Obsolete	
C200019996	-	551 052 534 with .0002 smaller O.D. 551 012 386	
C200019997	-	340 010 200-206 Blank Out (old type 6-1-64)	
C200019998	-	Same As 340 002 097 Except.....	
C200019999	-	Same As 340 002 411 Except B Length .844- .120 O.D.	