

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059000	-	Slot Insulation	
C200059001	-	Slot Wedge	
C200059002	-	Fiber Top Stick	
C200059003	-	Insulator Band (No Hole)	
C200059004	-	Insulator Band (Hole)	
C200059005	-	Slot Insulation 7/8"	
C200059006	-	Slot Wedge 7/8"	
C200059007	-	Housing & Magnet Assy.	
C200059008	-	Housing & Magnet Assy.	
C200059009	-	Housing & Magnet Assy.	
C200059010	-	Slot Insulation	
C200059011	-	Slot Wedge	
C200059012	-	Green Enamel #6211	
C200059013	-	Bearing Lube	
C200059014	-	Black Wrinkle	
C200059015	B	Thinner, VM&P Naphta, IAW ASTM-D-3735 Type I or II (also MS556-2, Type 4)	81215
C200059016	-	Slot Insul.	
C200059017	-	Slot Wedge	
C200059018	-	Metalset Type #28	
C200059019	C	Paint per MIL-DTL-15090C CL 2 TYP 2 (PS 231) (light grey semi-gloss enamel)	84243
C200059020	-	Slot Insulation	
C200059021	-	Slot Wedge	
C200059022	-	Glass Top stick	
C200059023	-	Slot Insulation	
C200059024	-	Slot Wedge	
C200059025	-	Housing & Magnet	
C200059026	-	Slot Insulation	
C200059027	-	Slot Wedge	
C200059028	-	Slot Insulation	
C200059029	-	Slot Wedge	
C200059030	-	Wood Top Stick	
C200059031	-	Fiber Top Stick	
C200059032	-	Phase Separator	
C200059033	-	Interphase Insul.	
C200059034	-	Slot Insulation (cell)	
C200059035	-	Slot Wedge	
C200059036	-	Slot Insulation (cell)	
C200059037	-	Slot Wedge	
C200059038	-	Phase Separator	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059039	-	Interphase Insul.	
C200059040	-	Top Stick	
C200059041	-	Changed to part # C101 063 017 (enamel red)	
C200059042	-	Thinner TTT 548	
C200059043	-	Thinner TTT 306	
C200059044	-	Paint Gray MIL-E-7729	
C200059045	-	Paint Gray MIL-E-15090	
C200059046	-	Oakite H.C.	
C200059047	-	Thinner Mineral Spirits	
C200059048	-	Black Inst. Paint TTE-489 NOC #51951	
C200059049	A	PURSHASE PER OP SHEET (SEE OPERATION SHEETS)	80276
C200059050	-	Catalyst # 830 PJ17	
C200059051	-	Paint White #37875	
C200059052	-	Slot Insulation (cell)	
C200059053	-	Slot Wedge	
C200059054	-	Fiber Top Stick	
C200059055	-	Slot Insulation 4 5/16" Long	
C200059056	-	Slot Wegde 4 5/16" Long	
C200059057	A	XYLENE INNDUSTRIAL OR TECHINCAL GRADE IN 1 GALLON CONTAINERS	77619
C200059058	-	MIL- V-173 or Equiv. VARNISH	ORIG
C200059059	-	Top Stick 51L-Glass	
C200059060	-	Insul. Band (wide)	
C200059061	-	Insul. Band (narrow)	
C200059062	-	Slot Cell	
C200059063	-	Slot Wedge	
C200059064	-	Slot Cell	
C200059065	-	Slot Wedge	
C200059066	-	Coil Separator	
C200059067	-	Slot Insulator (cell)	
C200059068	-	Slot Wedge	
C200059069	-	Adhesive Salastic R.T.V. # 140	
C200059070	-	Slot Insulation	
C200059071	-	Slot Wedge	
C200059072	-	Slot Insulation 24 Slot (3.25 STK.) 3 7/16 long	
C200059073	-	Slot Wedge 24 Slot (3.25 STK.) 3 7/16 long	
C200059074	-	Slot Insul. (cell)	
C200059075	-	Slot Wedge	
C200059076	-	Slot Insul. (cell)	
C200059077	-	Slot Wedge	

PRODUCT LOG
(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059078	-	Phase Separator	
C200059079	-	Interphase Insul. (large)	
C200059080	-	Interphase Insul. (small)	
C200059081	-	Slot Insul. (cell)	
C200059082	-	Slot Wedge	
C200059083	-	Slot Insul. (cell)	
C200059084	-	Slot Wedge	
C200059085	-	Laquer Clear XL 20578	
C200059086	-	Ink Black BL1654	
C200059087	-	Deleted per NOC # 23359	
C200059088	-	Reducer S744	
C200059089	-	Dolphins PDR 423	
C200059090	-	Slot Cell	
C200059091	-	Slot Wedge	
C200059092	-	Insul. Band (w/Hole)	
C200059093	-	Insul. Band (wo/Hole)	
C200059094	-	Top Stick	
C200059095	-	Slot Insul.	
C200059096	-	Top Stick Glass Melamine	
C200059097	-	Slot Insul. (cell)	
C200059098	-	Slot Wedge	
C200059099	-	Top Stick for D05251513 (ARMA) 2515-2	
C200059100	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 15/16 " WIDE	85532
C200059101	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 3/4" WIDE	85532
C200059102	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1.0" WIDE	85532
C200059103	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1-1/16" WIDE	85532
C200059104	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1-7/16" WIDE	85532
C200059105	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1-9/16" WIDE	85532
C200059106	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1-1/4" WIDE	85532
C200059107	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1-1/2" WIDE	85532
C200059108	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1-3/16" WIDE	85532
C200059109	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1-3/4" WIDE	85532
C200059110	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 2-3/4" WIDE	85532
C200059111	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 3-3/8" WIDE	85532
C200059112	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 7/16" WIDE	85532
C200059113	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1/4" WIDE	85532
C200059114	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 5/8" WIDE	85532
C200059115	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 3/8" WIDE	85532
C200059116	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1/2" WIDE	85532

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059117	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1-5/16" WIDE	85532
C200059118	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 1-5/8" WIDE	85532
C200059119	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 5/16" WIDE	85532
C200059120	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 13/16" WIDE	85532
C200059121	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 9/16" WIDE	85532
C200059122	H	NOMEX TYPE 410 (0-251109-02 & MS 511-11) .010 THICK x 2-1/2" WIDE	85532
C200059123	G	Slot Insul. 7/8 Wide (0-718267-01) (SEE OPERATION SHEETS)	30363 4/5/79
C200059124	G	Slot Insul. 15/32 Wide (D636877-10) (SEE OPERATION SHEETS)	30363 4/5/79
C200059125	G	4 3/16 ' Wide .010 NOMEX (ZEROX) (orin. design by E. Shepard) (SEE OPERATION SHEETS)	30363 4/5/79
C200059126	G	2.450 Wide .010 THK. NOMEX Slot Insul. for D776526-01 (SEE OPERATION SHEETS)	30363 4/5/79
C200059127	G	2 27/64 Wide .010 THK. NOMEX. 0-251109-02 (SEE OPERATION SHEETS)	30363 4/5/79
C200059128	-		
C200059129	-		
C200059130	-		
C200059131	-		
C200059132	-		
C200059133	-		
C200059134	-		
C200059135	-		
C200059136	-		
C200059137	-		
C200059138	-		
C200059139	-		
C200059140	-		
C200059141	-		
C200059142	-		
C200059143	-		
C200059144	-		
C200059145	-		
C200059146	-		
C200059147	-		
C200059148	-		
C200059149	-		
C200059150	G	Wedge Mat'l. #0-251109-03 .015 THK. 5/16 " Wide DWG 0-251109-00	34676
C200059151	G	Wedge Mat'l. #0-251109-03 .015 THK. 3/8 " Wide DWG 0-251109-00	34676
C200059152	G	Wedge Mat'l. #0-251109-03 .015 THK. 5/8 " Wide DWG 0-251109-00	34676
C200059153	G	Wedge Mat'l. #0-251109-03 .015 THK. 1/2 " Wide DWG 0-251109-00	34676
C200059154	G	Wedge Mat'l. #0-251109-03 .015 THK. 1 " Wide DWG 0-251109-00	34676
C200059155	G	Wedge Mat'l. #0-251109-03 .015 THK. 1 1/32 " Wide DWG 0-251109-00	34676

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059156	G	Wedge Mat'l. #0-251109-03 .015 THK. DWG 0-251109-00	34676
C200059157	G	Wedge Mat'l. #0-251109-03 .015 THK. DWG 0-251109-00	34676
C200059158	G	Wedge Mat'l. #0-251109-03 .015 THK. DWG 0-251109-00	34676
C200059159	G	Wedge Mat'l. #0-251109-03 1/4" DWG 0-251109-00	34676
C200059160	G	Wedge Mat'l. #0-251109-03 3 1/2 " DWG 0-251109-00	34676
C200059161	G	Wedge Mat'l. #0-251109-03 13/16" DWG 0-251109-00	34676
C200059162	G	Wedge Mat'l. #0-251109-03 11/16" DWG 0-251109-00	34676
C200059163	G	Wedge Mat'l. #9-636877-10 9/32" DWG 0-251109-00	34676
C200059164	G	Wedge Mat'l. #0-251109-03 .015 THK. 3/4" DWG 0-251109-00	34676
C200059165	-		
C200059166	-		
C200059167	-		
C200059168	-		
C200059169	-		
C200059170	-		
C200059171	-		
C200059172	-		
C200059173	-		
C200059174	-		
C200059175	-		
C200059176	-		
C200059177	-		
C200059178	-		
C200059179	-		
C200059180	-		
C200059181	-		
C200059182	-		
C200059183	-		
C200059184	-		
C200059185	-		
C200059186	-		
C200059187	-		
C200059188	-		
C200059189	-		
C200059190	-		
C200059191	-		
C200059192	-		
C200059193	-		
C200059194	-		

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059195	-		
C200059196	-	Interphase Mat'l #0-251109-01 .003 THK.	ORIG.
C200059197	-	Irwin - Hodson Black Drimerquette Ink	
C200059198	-	Impervo Hi - Gloss Yellow Enamel Benj. Moore	
C200059199	-		
C200059200	D	(0-251109-05) .007 Thick Insul. 1/2 W.	ADDED 1/22/90
C200059201	-	See 200089483	
C200059202	D	(0-251109-05).007 Thick Insul. 7/16 W.	ADDED 1/22/90
C200059203	D	(0-251109-05) .007 Thick Insul. 1" W.	ADDED 1/22/90
C200059204	D	(0-251109-05) .007 Thick Insul. 5/8" W.	ADDED 1/22/90
C200059205	D	(0-251109-05) .007 Thick Insul. 15/16 W.	ADDED 1/22/90
C200059206	D	(0-251109-05) .007 Thick Insul. 13/16 W.	ADDED 1/22/90
C200059207	D	(0-251109-05) .007 Thick Insul. 3/8 W.	ADDED 1/22/90
C200059208	D	(0-251109-05) .007 Thick Insul. 3/4 W.	ADDED 1/22/90
C200059209	D	(0-251109-05) .007 Thick Insul. 1 3/16 W.	ADDED 1/22/90
C200059210	D	(0-251109-05) Slot Insul. (cell) 7/8" W.	ADDED 1/22/90
C200059211	D	(0-251109-05) .007 Thick Insul. 5/16 W.	ADDED 1/22/90
C200059212	D	(0-251109-05) .007 Thick Insul. 3" W.	ADDED 1/22/90
C200059213	-		
C200059214	-		
C200059215	-		
C200059216	-		
C200059217	-		
C200059218	-		
C200059219	-		
C200059220	-		
C200059221	-		
C200059222	-		
C200059223	-		
C200059224	-		
C200059225	-		
C200059226	-	Alum. Dye PS 725 Sandoz Green	
C200059227	-	Gem Wire Marking Ink - Type G - Red	
C200059228	-	Gem Wire Marking Ink - Type G - Yellow	
C200059229	-	Gem Wire Marking Ink - Type G - Blue	
C200059230	-	Bracket Blank	
C200059231	-	Slot Insul. (cell)	
C200059232	-	Fiber Top Stick	
C200059233	-	Insul. Band	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059234	-	Slot Wedge	
C200059235	-	200052245 Relub Unitemp 500	
C200059236	-	Mu - Metal 1.875 O.D.x .725 I.D.-.020 Thick	
C200059237	-	Commutator (Kirkwood)	
C200059238	-	Thinner Type G for 227-228-229	
C200059239	-	Same As # 780798-02 Except Larger Size on Pressing End	
C200059240	-	Same As # 812730-00 Except The I.D. Re-Bored	
C200059241	-	Slot Insul. Cell	
C200059242	-	Slot Wedge	
C200059243	-	Top Stick For D05311701 Armature Assy.	
C200059244	-	Shaft For D78241316 Rotor	
C200059245	-	Lam. & Casting For D 78241316 Rotor	
C200059246	-	Slot Cell	
C200059247	-	Slot Wedge (brass)	
C200059248	-	Spec. Bushing Ref. D77974001	
C200059249	-	Shaft For D78141310 Rotor	
C200059250	-	Obsolete see 200089403	
C200059251	-	Obsolete see 200089404	
C200059252	-	Coil Separator	
C200059253	-	Nut (for 2-779738-)	
C200059254	-	Connector (for 2-779738)	
C200059255	-	Ink White BL1196 - BL6409	
C200059256	-	Paint Gray Lusterless	
C200059257	-	Paint Gray 36231 TTE 527	
C200059258	-	Lam. & Casting For D63675403 Rotor	
C200059259	-	Phase Separator	
C200059260	-	INTERPHASE	
C200059261	-	GLASS TOP STICK	
C200059262	-	ROTOR CORE FOR #63697002 ROTOR	
C200059263	-	ENALIN 2958	
C200059264	-	ROTOR CORE FOR #D63675409	
C200059265	-	ECCOSEAL W19	
C200059266	-	ROTOR CORE FOR ROTOR #D78384323	
C200059267	-	ROTOR CORE FOR ROTOR #D98693901	
C200059268	-	TERM.BLOCK (11031)	
C200059269	-	CONT.SUB ASS'Y (11020)	
C200059270	-	TURRET LUG (11203)	
C200059271	-	CONT.SUB ASS'Y (11004)	
C200059272	-	CASTING FOR 4-636566-10 ROTOR	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059273	-	SLOT CELL FOR D78563901	
C200059274	-	SLOT WEDGE FOR D78563901	
C200059275	-	ROTOR CORE FOR #D78078503	
C200059276	-	BLACK GLIPTAL	
C200059277	-	THINNER D5R19	
C200059278	AD	PURCHASE PER OP SHEETS (J-7) #3-636758-01 THRU 99	67532
C200059279	-	ROTOR CORE FOR #D63623607	
C200059280	-	ROTOR CORE FOR #D63623631	
C200059281	-	ROTOR CORE FOR #D63623614	
C200059282	-	ROTOR CORE FOR #D63623629	
C200059283	-	ROTOR CORE FOR #D63623632	
C200059284	-	ROTOR CORE FOR #D63623633	
C200059285	AD	PURCHASE PER OP SHEETS (J-7) #3-636758-01 THRU 99	67532
C200059286	-	ROTOR CORE FOR #D63697103	
C200059287	-	ROTOR CORE FOR #D63646305	
C200059288	-	ROTOR CORE FOR #D63697102	
C200059289	-	ROTOR CORE FOR #D63656608	
C200059290	-	ROTOR CORE FOR #D78384309	
C200059291	-	ROTOR CORE FOR #D78295001	
C200059292	-	ROTOR CORE FOR #D63675408	
C200059293	-	ROTOR CORE FOR #D63675402	
C200059294	-	ROTOR CORE FOR #D98509200	
C200059295	-	ROTOR CORE FOR #D78229802	
C200059296	-	ROTOR CORE FOR #D63675803	
C200059297	-	ROTOR CORE FOR #D63654704	
C200059298	-	ROTOR CORE FOR #D63654705	
C200059299	-	ROTOR CORE FOR #D9849500	
C200059300	-	ROTOR CORE FOR #D98401100	
C200059301	-	ROTOR CORE FOR #D78957401	
C200059302	-	ROTOR CORE-SAME AS 986017-00 EXCEPT USE 10 000 681 STOCK	
C200059303	-	ROTOR CORE MAT'L PER C375022000 TYPE 2 LONG:1.814-1.800,OD:.638-.633	
C200059304	-	ROTOR CORE FOR #D63623626	
C200059305	-	ROTOR CORE FOR #D63675801	
C200059306	-	ROTOR CORE FOR #D63675809	
C200059307	-	ROTOR CORE FOR #D63675811	
C200059308	-	ROTOR CORE FOR #D63675405	
C200059309	-	ROTOR CORE FOR #D63656614	
C200059310	-	SPACER	
C200059311	-	ROTOR CORE CZ40192001	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059312	-	ROTOR-SAME AS 780783-04 EXCEPT MAT'L #10 000 681	
C200059313	-	RTR.CORE ASS'Y-986038-00 EXCEPT CORE 200059302	
C200059314	-	RIVET FOR D630155-STATOR CORE	
C200059315	-	SLOT INSUL.CELL D77974512	
C200059316	-	SLOT WEDGE D77974512	
C200059317	-	HOUSING FOR D63625705	
C200059318	-	7788880 12-3-5	
C200059319	-	CORE FOR D78598201	
C200059320	-	CORE FOR D63623627	
C200059321	-	(RESERVE DOE DEI#2694 FOR) HSG.LEAD 25L	
C200059322	-	(FPE-21L & FPE-25L HSG..ASS'Y) HSG.25L	
C200059323	-	(JOHN REEVIE 6-9-72) HSG.LEAD 21L	
C200059324	-	HSG. 21L	
C200059325	-	STACK 25L	
C200059326	-	STACK 21L	
C200059327	-	FPE 21L STA. STACK	
C200059328	-	FPE 49L STA.STACK	
C200059329	-	FBE 66 Sta. Stack	
C200059330	-	FPE 41 Sta. Stack	
C200059331	-	FPE 49L Housing	
C200059332	-	FPE 49L Housing	
C200059333	-	FPE 66 Housing	
C200059334	-	FPE 66 Housing	
C200059335	-	FPE 41 Housing	
C200059336	-	FPE 23L Stack	
C200059337	-	FPE 23L Housing	
C200059338	-	FPE 23L Housing	
C200059339	-	Stator Stack For 985030-02	
C200059340	-	Slot Wedge	
C200059341	-	Slot Cell	
C200059342	-	Housing For 985030-02	
C200059343	-	Rotor Care For D63743301	
C200059344	-	Sil - Glass Top Stick D706996-04	
C200059345	-	Insulating Powder N-2	
C200059346	-	Aqudag - Vendor	
C200059347	-	Grease # 053634000	
C200059348	-	Phase Separator	
C200059349	-	Separator Insul.	
C200059350	-	Slot Wedge	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059351	-	Slot Insul. Cell	
C200059352	-	Phase Separator	
C200059353	-	Shaft same as D783 839 - 01 except shaft ext. is 187	
C200059354	-	Shaft For D70880100 Rotor	
C200059355	-	Rotor Core For D63654703	
C200059356	-	Slot Cell	
C200059357	-	Slot Wedge	
C200059358	-	Interphase Insul.	
C200059359	-	Same as C200059313 Except -780783 03	
C200059360	-	Slot Cell	
C200059361	-	Slot Wedge	
C200059362	-	Phase Insul.	
C200059363	-	Phase Separator	
C200059364	-	Top Stick	
C200059365	-	Slot Wedge (large)	
C200059366	-	Slot Cell (large)	
C200059367	-	Slot Cell (small)	
C200059368	-	Paint Blk. TTE 489	
C200059369	-	Top Stick D05231202	
C200059370	-	DC 44 Grease	
C200059371	-	Same as D630180 08 Except .704	
C200059372	-	Dow Corning Silastic Gel. Ref. 3-633927-01	
C200059373	-	Top Stick D05121501	
C200059374	-	Rotor Core Per TWX MSG.347	
C200059375	-	Same as #636598 06 Except Withdrawl	
C200059376	-	Rotor Core for Rotor D 636547-08	
C200059377	-	Rotor Core for D 636754-03 with 0125 end rings (Eng. Evaluation)	
C200059378	-	Rotor Same As 780783-03 Except Core is C200059303	
C200059379	-	D782407-10 Shaft & Core Assy. Except 30* Skew & 380 Alum.	
C200059380	-	D782407-10 Shaft & Core Assy. Except 30* Skew & Pure Alum. TWX MSG #6	
C200059381	-	Semi-Finished D782413-16 Rotor TWX MSG # 417	
C200059382	-	Same As 782701-04 Except Mold Mat'l To Be Epiall 411-40	
C200059383	-	Same As 785987-01 Except Mold With Epial 441-40	
C200059384	-	Same As 986265-03 Except Mold With Epial 411-40	
C200059385	-	Powder Metal Slug Rotor (21 Frame)	
C200059386	-	Powder Metal Slug Rotor (25 Frame)	
C200059387	-	Powder Metal Slug Rotor (49 Frame)	
C200059388	-	Powder Metal Slug Rotor (Esterline Angus)	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059389	-	Rotor Complete Same As 811749-01 Except Core -200059385	
C200059390	-	Slot Cell	
C200059391	-	Slot Wedge	
C200059392	-	Same As 780798-02 Except .2600-.2597 SOA# A-00110	
C200059393	-	D63670706 w/ D81665205 Hsg. 63669809	
C200059394	-	D63670708 w/ D81665201 Hsg.	
C200059395	-	Slot Cell (small)	
C200059396	-	Slot Cell (large)	
C200059397	-	Slot Wedge (small)	
C200059398	-	Slot Wedge (large)	
C200059399	-	Top Stick	
C200059400	-	Coil Separator	
C200059401	-	Slot Cell (small)	
C200059402	-	Slot Cell (large)	
C200059403	-	Slot Wedge (small)	
C200059404	-	Slot Wedge (large)	
C200059405	-	4-40 Nut Used On 2-779738-8a	
C200059406	-	Interphase Insul.	
C200059407	-	Coil Separator	
C200059408	-	Shaft Same As D637566-01 Except Stack Dia. to use Current Core -01	
C200059409	-	Rotor Core For D636236-02	
C200059410	-	Rotor Core For D636236-03	
C200059411	-	Rotor Core For D636236-04	
C200059412	-	Rotor Core For D636236-11	
C200059413	-	Rotor Core For D636236-12	
C200059414	-	Rotor Core For D636236-24	
C200059415	-	Rotor Core For D636236-30	
C200059416	-	Rotor Core For D636236-31	
C200059417	-	Rotor Core For D789943-01	
C200059418	-	Top Stick (Class H)	
C200059419	-	Rotor Special Core 2% CU (216)	
C200059420	-	Rotor Special Core 2% CU (256)	
C200059421	-	Retain. Ring 3100 - 13 BC For Gearhead 723230-02	
C200059422	-	Spacer (18721)	
C200059423	-	Slot Insul. (36 Slot)	
C200059424	-	Slot Wedge (36 Slot)	
C200059425	-	Arm. Core & Shaft	
C200059426	-	Slot Cell For D97650701	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059427	-	Slot Wedge	
C200059428	-	Bearing Grease CHV OHT	
C200059429	-	Oil T38 L06	
C200059430	-	Andox C Grease	
C200059431	-	ST 38 Appleton Connector	
C200059432	-	CAR SRI Grease	
C200059433	-	Self Tapping Inserts DEI #01210	
C200059434	-	Bracket	
C200059435	-	AN 565 DC 1032H4 Set - Screw	
C200059436	-	MS 3102A - 165 - 1PW Connector MS	
C200059437	-	End Bell 986 214 - 01 Over - Sized	
C200059438	-	Slot Cell (For D63635006)	
C200059439	-	Slot Wedge (For D63635006)	
C200059440	-	FIN Type Rotor Core For D 985 980 - 01	
C200059441	-	Brushing For D 983 823 01	
C200059442	-	Top Stick 776 523 - 01	
C200059443	-	Slot Insul. For D 636 344 07	
C200059444	-	Slot Wedge For D 636 344 07	
C200059445	-	Slot Insul. For D 636 363 04	
C200059446	-	Slot Wedge For D 636 363 04	
C200059447	-	Rotor Core Casting For # D 636 236 -31	
C200059448	-	Slot Insul. For 776 526 01	
C200059449	-	Slot Wedge For 776 526 01	
C200059450	-	Interphase Insul. 776 526 01	
C200059451	-	Phase Separator For 776 526 01	
C200059452	-	Top Stick For D 982 525 01	
C200059453	-	Top Stick For D 985 281 01	
C200059454	-	Interphase Insul. D 636 207 20	
C200059455	-	Coil Separator D 636 207 20	
C200059456	-	Slot Insul. 636 333 14	
C200059457	-	Slot Wedge 636 333 14	
C200059458	-	Interphase Insul. D 636 207 10	
C200059459	-	Coil Separator D 636 207 10	
C200059460	-	Slot Insul. Cell	
C200059461	-	Slot Wedge	
C200059462	-	Slot Insul. Cell	
C200059463	-	Slot Wedge	
C200059464	-	Interphase Insul	
C200059465	-	Interphase Insul.	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059466	-	Coil Separator	
C200059467	-	Slot Cell	
C200059468	-	Slot Wedge	
C200059469	-	Slot Cell	
C200059470	-	Slot Wedge	
C200059471	-	Top Stick	
C200059472	-	Rotor Casing For D 636971-01	
C200059473	-	Thermo Couple Wire	
C200059474	-	Interphase DIE # 100098485703	
C200059475	-	Slot Cell	
C200059476	-	Slot Insul. Cell	
C200059477	-	Slot Wedge	
C200059478	-	Slot Wedge	
C200059479	-	MTR Repair Kit 91215-1	
C200059480	-	Washer # Was -1104	
C200059481	-	Arm. Core & Shaft	
C200059482	-	Slot Insulation Cell	
C200059483	-	Slot Wedge	
C200059484	-	Fiber Top Stick	
C200059485	-	Made From 200059414 For D636236-24	
C200059486	-	Slot Insulation Cell Sta. Assy.	
C200059487	-	Slot Wedge For Sta. Assy.	
C200059488	-	Slot Cell Insul. .010	
C200059489	-	Slot Wedge .010	
C200059490	-	1/16" Dia. SN 10 Wire Solder Raytheon	
C200059491	-	Slot Insul. Cell .010	
C200059492	-	Slot Wedge .010	
C200059493	-	Shaft For D782413-21	
C200059494	-	Rotor Stack 45 3-713108-01 For 4-713105-00	
C200059495	-	Rotor Stack 67 4-713109-00 For 4-713105-00	
C200059496	-	Nomex. Insul. Mat'l. .020 Thick x 1 1/4"	
C200059497	-	White Epoxy Markem -7133	
C200059498	-	Rotor Core	
C200059499	-	C101110001 Surplus Inventory	
C200059500	-	03-636951-01 Lam. From Die D1883 At Danco 1000Pcs.	
C200059501	-	Drag Cup Same As 985889-01 Except Wall Thickness	
C200059502	-	Lam. Assy. For 3-795720-01	
C200059503	-	Cell FPF 143	
C200059504	-	Wedge FPF 143	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059505	-	Interphase	
C200059506	-	Coil Separator	
C200059507	-	Stack I.D.O. # 92031	
C200059508	-	Stator I.D.O. # 92031	
C200059509	-	Slot Insul. (Cell)	
C200059510	-	Slot Insul. (Cell) .010 Thick x 2 5/8 x 1 1/2	
C200059511	-	Slot Insul. 2 3/4 x 15/16	
C200059512	-	Slot Wedge 2 3/4 x 5/16 (6/14/84)	
C200059513	-	Interphase Insul.	
C200059514	-	Top Stick Nomex. (.062 Thk.)	
C200059515	-	Top Stick Nomex. (.062 Thk.)	
C200059516	-	0-351 105-35	
C200059517	-	0-351 105-35	
C200059518	-	0-351 105-35	
C200059519	-	0-351 105-35	
C200059520	-	0-351 105-35	
C200059521	-	0-351 105-35	
C200059522	-	0-351 105-35	
C200059523	-	0-351 105-35	
C200059524	-	Top Stick .031 Thk. Laminated Sil Glass 1/4	
C200059525	-	Top Stick .031 Thk. Laminated Sil Glass 13/32	
C200059526	-	Top Stick .031 Thk. Laminated Sil Glass 5/8	
C200059527	-	Top Stick .031 Thk. Laminated Sil Glass 7/32	
C200059528	-	Top Stick .031 Thk. Laminated Sil Glass 9/32	
C200059529	-		
C200059530	-		
C200059531	-	Top Stick .062 Thk. 56 W. Vulcanized Fibre	
C200059532	-		
C200059533	-		
C200059534	-		
C200059535	-	Coil Separator .003 Thk. x 3/8 x 2 11/16	
C200059536	-	Slot Insul. Cell Ref. NOC # 31105	
C200059537	-	End Cover For 9-778471-14	
C200059538	-	325 BSVB Glass Beads	
C200059539	-	3/16 Cap Plug Plastic	
C200059540	-	Paint MIL-C-22750C Class 2, Type III, Color 37038, Fed. Std. 595 used on	
C200059541	-	1/16 Dia. MS 481-1 Type 1 Silver Solder	
C200059542	-	Top Stick	
C200059543	-	Top Stick .062 Thk. Laminated Sil Glass	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200059544	-	Casting For 4-636463-09 Rotor	
C200059545	-	Slot Wedge Per Operation Sheets	
C200059546	-	Interphase Insul.	
C200059547	-	Interphase Insul.	
C200059548	-	Roll Insulator	
C200059549	-	Connector Hughes P/N 11525767	
C200059550	-	Connector Hughes P/N 11525768	
C200059551	-	DC 510 300CSK Oil	
C200059552	-	M16878123-BEA99 Lead Wire	
C200059553	-	M16878123-BEA44 Lead Wire	
C200059554	-	M16878123-BEA00 Lead Wire	
C200059555	-	M16878123-BEA20 Lead Wire	
C200059556	-	M16878123-BEA55 Lead Wire	
C200059557	-	M16878123-BEA22 Lead Wire	
C200059558	-	M16878123-BBA33 Lead Wire	
C200059559	-	M16878123-BBA88 Lead Wire	
C200059560	-	M16878123-BBA96 Lead Wire	
C200059561	-	M16878123-BCA66 Lead Wire	
C200059562	-	M16878123-BCA11 Lead Wire	
C200059563	-	M16878123-BAB22 Lead Wire	
C200059564	-	M168781230-BAB99 Lead Wire	
C200059565	-	M16878123-BEA11 Lead Wire	
C200059566	-	M16878123-BEA33 Lead Wire	
C200059567	-	M16878123-BEA66 Lead Wire	
C200059568	-	M16878123-BEA88 Lead Wire	
C200059569	-	Brush Ref. DWG	
C200059570	-	Tab Ref. DWG	
C200059571	-		