

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079000	-	ROTOR SUB(SAME AS 551052051 EXCEPT HI-VOLTAGE UNIT)	
C200079001	-	GEAR HEAD FOR CM20328008	
C200079002	-	DEI#622 5 COIL WINDING 105 TURNS/STAG.315 TOTAL TURNS	
C200079003	-	OBSOLETE	
C200079004	-	OBSOLETE	
C200079005	-	SUPERSEDED BY 554002560 (PER RN#22011 R 3/4/66)	
C200079006	-	SUPPORT L.P.PER SHEET #3 OF 4 Q-FORM	
C200079007	-	G.E.ALKANEX (1003) INSUL.POWDER	
C200079008	-	TO UTILIZE OLD MOTOR HSG.553012000-GEN.HSG.553002965 TO MATCH WITH OLD	
C200079009	-	SUPERSEDED BY C200062963	
C200079010	-	OBSOLETE	
C200079011	-	COINED SILVER SLIP RING B/P 555002120 COMMUTATOR	
C200079012	-	SLEEVE COMMUTATOR 555002120	
C200079013	-	DIAL MOUNTING MAT'L FS-5 15" SPIRAL LENGTH	
C200079014	-	(SHEETS NEVER ISSUED-PROCESS UNDEVELOPED)	
C200079015	-	OBSOLETE	
C200079016	-	NAME PLATE R-911-03 Q-FORM UNIT	
C200079017	-	INNER STATOR SHIM DISC 8 JACK M.G.R.	
C200079018	-	OBSOLETE	
C200079019	-	DATA PLATE STAMP FOR 5R 941-007D	
C200079020	-	392002125 REV"D"FOR IDENT.FOR P.C.(TO KEEP SEPARATE FROM REV"E")	
C200079021	-	C550080007 S&H(SOA#A175)WITH 5 COIL-54 TURN-38 GAGE WIRE-INSERTED AS C550080008	
C200079022	-	315002100 COVER FOR QUOTE TO BE COINED OR STAMPED	
C200079023	-	315002101 COVER FOR QUOTE TO BE COINED OR STAMPED	
C200079024	-	511042258 INSULATOR WITH .695 +.005 -.005 O.D. .010 A.H.L	
C200079025	-	DEI#636 DURAD INSULATION-	
C200079026	-	SHAFT-SAME AS 340002050 EXCEPT"A"DIM.TO BE 1.219 +.002 -.002	
C200079027	-	ROTOR SUB ASS'Y-SAME AS 551052350 EXCEPT USE 200079026 SHAFT	
C200079028	-	ROTOR WITH 200079027 SUB ASS'Y (REF:551002005)	
C200079029	-	LAM& CASTING-SAME AS 551102128 EXCEPT WITH PURE ALUMINUM L.P.	
C200079030	-	SHAFT-SAME AS ONE FOR 214471 EXCEPT GEAR DATA & DR. HOLE Q-FORM	
C200079031	-	WASHER,DRAG CUP,RETAINER	
C200079032	-	BUSHING CM41004064-SAME AS 311012104 WITH LARGER TOL.	
C200079033	-	DATA MARKEM STAMP FOR 236283 (MADE OP'N SHT)	
C200079034	-	SAME AS 558042600 EXCEPT DULL FINISH ON O.D.(OBSOLETE PER NOC#24918)(REISSUED 6/30/75 R)	
C200079035	-	SUPERSEDED BY 300052155	
C200079036	-	SAME AS 320002265 EXCEPT BLACK OX FINISH	
C200079037	-	SUPERSEDED BY 558042606 PER NOC#24918	
C200079038	-	SUPERSEDED BY 300052156	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079039	-	SUPERSEDED BY 558042601 NOC#24918	
C200079040	-	SAME AS 553002068 EXCEPT DELETE WHIRLCLAD (DEI#632)	
C200079041	-	OBSOLETE	
C200079042	-	OBSOLETE	
C200079043	-	CAPACITOR FOR CT90587002	
C200079044	-	ROTOR-SAME AS 551071153 EXCEPT MOD.PER C180000385	
C200079045	-	STA.& HSG.-SAME AS 550080082 EXCEPT MOD.PER C180000385	
C200079046	-	340012005 SHAFT WITHOUT UNDERCUT CR41300013	
C200079047	-	551012275 ROTOR WITHOUT UNDERCUT CR41300013	
C200079048	-	307002212 HUB POWERED METAL	
C200079049	-	307002212 HUB POWERED METAL (WITH BACK END)	
C200079050	-	553012541 HOUSING-FINISHED I.D.& MTG.DIA. SPECIAL (I.D.4999/.5002)	
C200079051	-	554002571 FINISHED END BELL .4999-.5002 I.D.(SIZE#18)	
C200079052	-	OBSOLETE	
C200079053	-	PLATE FOR L.P.CR40939004 RESOLVER	
C200079054	-	551070111 ROTOR .4970 +.0000 -.0005 MOTOR SALVAGE STATORS 483	
C200079055	-	HOUSING & MAGNET ASS'Y CR09610006 Q-FORM OBSOLETE REPLACED BY C200052376 NOC # 43001	
C200079056	-	FOR QUOTE-333002150 SUPPORT WITH .040 FLAT-900B/B'S	
C200079057	-	FOR QUOTE-333002151 SUPPORT WITH .040 FLAT-900B/B'S	
C200079058	-		
C200079059	-	FOR QUOTE-200022100-THRU-102 SUPPORT & HOLDER	
C200079060	-	900 SERIES B/B WITH NEW SUPPORT & OTH. CHANGES	
C200079061	-	29 GAGE HEAVY ANATHERM D MAGNET WIRE	
C200079062	-	S.R.-ASS'Y-SAME AS 558052210 EXCEPT 3 RING	
C200079063	-	FRONT END TURN INSUL. HIGH TEMP.TEFLON	
C200079064	-	REAR END TURN INSUL. HIGH TEMP.TEFLON	
C200079065	-	HI-TEMP.558042600 BRUSH&HOLDER	
C200079066	-	TEFLON COATED FIBERGLASS WASHER	
C200079067	-	SUPPORT	
C200079068	-	40 GA.SINGLE POLY.THERMALEZE - FOR TRAINING ONLY	
C200079069	-	HOUSING-SAME AS 553012572 EXCEPT TAPPED HOLES& BRIGHT L.P.	
C200079070	-	ENDBELL-SAME AS 554002572 EXCEPT BRIGHT L.P.	
C200079071	-	ROTOR-SAME AS 551070549-USES 551052800 RTR.SUB	
C200079072	-	NEW DESIGN 340010351 P.M.HUB CMO J-TYPE	
C200079073	-	NEW DESIGN 340010355 P.M.HUB CMO J-TYPE	
C200079074	-	NEW DESIGN 340010361 P.M.HUB CMO J-TYPE	
C200079075	-	NEW DESIGN 340010371 P.M.HUB CMO J-TYPE	
C200079076	-	NEW DESIGN 340002820 P.M.HUB CMO J-TYPE	
C200079077	-	NEW DESIGN 340002821 P.M.HUB CMO J-TYPE	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079078	-	NEW DESIGN 340002822 P.M.HUB CMO J-TYPE	
C200079079	-	NEW DESIGN 340002823 P.M.HUB CMO J-TYPE	
C200079080	-	NEW DESIGN 340002824 P.M.HUB CMO J-TYPE	
C200079081	-	NEW DESIGN 340002825 P.M.HUB CMO J-TYPE	
C200079082	-	NEW DESIGN 340002825 P.M.HUB CMO J-TYPE	
C200079083	-	DATA IDENTIFICATION FOR CR40911044	
C200079084	-	FINISHED TURNED 307002180	
C200079085	-	SAME AS C200042416 EXCEPT .095 +.005 -.005 TO BE .155 +.005 -.005	
C200079086	-	DEI#647-SCOTCHCAST 260-WHIRLCLAD	
C200079087	-	ENDBELL-CR40132012 (L.P.)	
C200079088	-	DEI#01467-ROTOR FOR CR40822001 (20 PCS.)	
C200079089	-	HSG.CR40132012	
C200079090	-	TEFLON INSULATOR MTG.END SIZE 15 MOTOR	
C200079091	-	TEFLON INSULATOR MTG.END SIZE 11 MOTOR/809	
C200079092	-	TEFLON INSULATOR CAP.END SIZE 11 MOTOR/809	
C200079093	-	SLIP RING ASS'Y L.P.CR40909006 (200012237)	
C200079094	-	SHIELD ASS'Y	
C200079095	-	GEAR BLANK DISC 8	
C200079096	-	GEAR BLANK DISC 8	
C200079097	-	SUPERSEDED BY 200052510 R 2/7/67	
C200079098	-	SUPERSEDED BY 200052511 R 2/7/67	
C200079099	-	INACTIVE PER NOC#19643	
C200079100	-	STATOR & HOUSING R 1300-25B-A	
C200079101	-	DELETED 2/2/67	
C200079102	-	FERRO CORPORATION V-2864 RED EPOXY PASTE TO MIX WITH SCOTCHCAST 280 FOR IMPREGNATION	
C200079103	-	LAM & COND.BAR ASS'Y FOR Q-FORM CM40844005	
C200079104	-	PROPOSED SLIP RING ASS'Y CMO(POWERED HUB) DEI#668	
C200079105	-	PROPOSED SHAFT DEI#668	
C200079106	-	END BELL L.P. CL90118018	
C200079107	-	HOUSING	
C200079108	-	LOCQUIC PRIMER (GRADE N)	
C200079109	-	SN 5 BAR SOLDER (NO B/P DISTINCTION BETWEEN WIRE & BAR)	
C200079110	-	DRAW CUP-2S ALUM.-SOA#541-DISC 8	
C200079111	-	OBSOLETE	
C200079112	-	OBSOLETE	
C200079113	-	218451-3-3 1/2 GROOVE PIN FOR IBM-CAN'T PUNCH ON OLD NUMBER CARDS	
C200079114	-	BRUSH(CONVEX TIPPED)FOR DEI#01472	
C200079115	-	STATOR LAM ASS'Y-SAME AS 552052249 EXCEPT TO BE .670 +.010 -.000	
C200079116	-	HOUSING L.P.FOR 550030906 STA.& HSG.	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079117	-	.0015 THICK MYLAR 19/32" WIDE INSULATION FOR 200052387	
C200079118	-	DUST WASHER-SAME AS #132011 EXCEPT .135 DIA. TO BE .200 DIA.	
C200079119	-	S&H 550042000 (R510-1AG) ALUM. WRITE OFF	
C200079120	-	CV41330007 L.P. RETAINER	
C200079121	-	HSG.CV41330007 L.P. HSG	
C200079122	-	557002118 MAGNET OVERSIZED I.D. 2515	
C200079123	-	SUPPORT-307002006 OVERSIZED TO FIT ABOVE	
C200079124	-	HOUSING-LOW COST ALUM.-REF:553002535	
C200079125	-	ROTOR CASTING-15 DEGREE SPCL.GRM 551102104	
C200079126	-	RETAINER PLATE-SIMILAR TO 300052020	
C200079127	-	STA.& HSG.-CT90870007 PAINT 550042317	
C200079128	-	STOP ADAPTER CM09609006 L.P.(STOPPED SYNCHRO)	
C200079129	-	HSG-STOPPED SYNCHRO L.P.	
C200079130	-	SYNCHRO STOP	
C200079131	-	552052294 EXCEPT .498 +.014 -.0 SOA (STACK)	
C200079132	-	200019774 EXCEPT .460 +.010 -.0 SOA (STACK)	
C200079133	-	HSG.& ADAPTER ASS'Y(STOPPED SYNCHRO)	
C200079134	-	340012275 SHAFT WITH OVERSIZE DIA. FOR GRINDING TO REMOVE MICRO X 220460	
C200079135	-	120578-1 USING 200079134 SHAFT (HERMEFLEX)	
C200079136	-	.015 MFD.CAPACITOR FOR CT90587002 (L.P.)	
C200079137	-	5201 MOLDING MATERIAL	
C200079138	-	MOTOR ROTOR & DRAG CUP ASS'Y (L.P.CR40822002)	
C200079139	-	RED PLASTIC SPACER FOR COIL BOARDS	
C200079140	-	SLIP RING-SAME AS 558012106 EXCEPT MAT'L TO BE BAKER 8227	
C200079141	-	RTR.SUB-SAME AS 551052223-NEW DESIGN SHAFT	
C200079142	-	ROTOR USING ABOVE SHAFT-NEW DESIGN SHAFT	
C200079143	-	SHAFT-Q-FORM UNIT	
C200079144	-	R1000 BRUSH SUPPORT (REVISION OF CMO)	
C200079145	-		
C200079146	B	HARDNER (TYPE ARALEDITE 906 OR NADIC METHYL ANHYDRIDE OR METH/E GL) FOR INSULATING COMPOUND IAW C101060068; SOURCE OF SUPPLY: HUNTSMAN INC, DIXIE CHEMICAL OR RESINLAB	NOC-81986 3/16/2012
C200079147	-	H-FILM-(ASSIGNED FOR STOCKING PURPOSE)	
C200079148	-		
C200079149	-	COPPER SULFATE	
C200079150	-	HOUSING (553002700 REV.P)	
C200079151	-	HOUSING (553002701 REV.P)	
C200079152	-	HOUSING (553002702 REV.P)	
C200079153	-	HOUSING (553002703 REV.P)	
C200079154	-	HOUSING (553002704 REV.P)	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079155	-	HOUSING (553002707 REV.P)	
C200079156	-	HOUSING (553012350 REV.D)	
C200079157	-	HOUSING (553002675 REV.D)	
C200079158	-	SLEEVING (101107134 .031+.000 -.015 LONG)	
C200079159	-	HOUSING (553002676 REV.D)	
C200079160	-	HOUSING (553002677 REV.D)	
C200079161	5	HOUSING REAR(CY40844019 Q-FORM L.P.)	87744
C200079162	-	STATOR-SUPPORT (550052220)	
C200079163	-	STATOR-SUPPORT (550052226)	
C200079164	-	STATOR-SUPPORT (550052227)	
C200079165	-	STATOR-SUPPORT (550052236)	
C200079166	-	GEAR Q-FORM LIMITED PRODUCTION	
C200079167	-	CIGO SONIC#1 VARIOUS	
C200079168	-	INACTIVE PER NOC#19573	
C200079169	-	STA.& HSG.ASS'Y(550030633)(OLD STYLE HOUSING RETAINER& END BELL)	
C200079170	-	WHITE MARKEM INK XN (CHANGED TO XN 4/16/92 PER JC 4/16/92 REQ.OF P.DJN&NL)	
C200079171	-	OLD STYLE 550030600 BLUEPRINT REV.AD TO USE OLD STYLE HOUSING,RETAINER & INNER ENDBELL	
C200079172	-	OLD STYLE 550030601 BLUEPRINT REV AD	
C200079173	-	OLD STYLE 550030602 BLUEPRINT REV AD	
C200079174	-	OLD STYLE 550030603 BLUEPRINT REV AD	
C200079175	-	OLD STYLE 550030604 BLUEPRINT REV AD	
C200079176	-	OLD STYLE 550030605 BLUEPRINT REV AD	
C200079177	-	OLD STYLE 550030606 BLUEPRINT REV AD	
C200079178	-	OLD STYLE 550030607 BLUEPRINT REV AD	
C200079179	-	OLD STYLE 550030608 BLUEPRINT REV AD	
C200079180	-	OLD STYLE 550030609 BLUEPRINT REV AD	
C200079181	-	OLD STYLE 550030610 BLUEPRINT REV AD	
C200079182	-	OLD STYLE 550030611 BLUEPRINT REV AD	
C200079183	-	OLD STYLE 550030612 BLUEPRINT REV AD	
C200079184	-	OLD STYLE 550030613 BLUEPRINT REV AD	
C200079185	-	OLD STYLE 550030614 BLUEPRINT REV AD	
C200079186	-	OLD STYLE 550030615 BLUEPRINT REV AD	
C200079187	-	OLD STYLE 550030616 BLUEPRINT REV AD	
C200079188	-	OLD STYLE 550030617 BLUEPRINT REV AD	
C200079189	-	OLD STYLE 550030618 BLUEPRINT REV AD	
C200079190	-	OLD STYLE 550030619 BLUEPRINT REV AD	
C200079191	-	OLD STYLE 550030620 BLUEPRINT REV AD	
C200079192	-	OLD STYLE 550030621 BLUEPRINT REV AD	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079193	-	OLD STYLE 550030622 BLUEPRINT REV AD	
C200079194	-	OLD STYLE 550030623 BLUEPRINT REV AD	
C200079195	-	OLD STYLE 550030624 BLUEPRINT REV AD	
C200079196	-	OLD STYLE 550030625 BLUEPRINT REV AD	
C200079197	-	OLD STYLE 550030626 BLUEPRINT REV AD	
C200079198	-	OLD STYLE 550030627 BLUEPRINT REV AD	
C200079199	-	OLD STYLE 550030628 BLUEPRINT REV AD	
C200079200	-	OLD STYLE 550030629 BLUEPRINT REV AD	
C200079201	-	OLD STYLE 550030630 BLUEPRINT REV AD	
C200079202	-	OLD STYLE 550030632 BLUEPRINT REV AD	
C200079203	-	OLD STYLE 550032665 BLUEPRINT REV.AK	
C200079204	-	OLD STYLE 550032666 BLUEPRINT REV.AK	
C200079205	-	OLD STYLE 550032667 BLUEPRINT REV.AK	
C200079206	-	OLD STYLE 550032668 BLUEPRINT REV.AK	
C200079207	-	OLD STYLE 550032670 BLUEPRINT REV.AK	
C200079208	-	OLD STYLE 550032672 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079209	-	OLD STYLE 550032673 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079210	-	OLD STYLE 550032674 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079211	-	OLD STYLE 550032675 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079212	-	OLD STYLE 550032676 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079213	-	OLD STYLE 550032677 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079214	-	OLD STYLE 550032679 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079215	-	OLD STYLE 550032680 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079216	-	OLD STYLE 550032681 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079217	-	OLD STYLE 550032686 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079218	-	OLD STYLE 550032687 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079219	-	OLD STYLE 550032688 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079220	-	OLD STYLE 550032689 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079221	-	OLD STYLE 550032690 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079222	-	OLD STYLE 550032691 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079223	-	OLD STYLE 550032692 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079224	-	OLD STYLE 550032694 BLUEPRINT REV.AK TO USE OLD STYLE HSG.RETAINER & INNER E.B	
C200079225	-	END BELL 554002048 REV.D	
C200079226	-	FRONT END TURN INSULATOR FOR SIZE FIVES	
C200079227	-	REAR END TURN INSULATOR FOR SIZE FIVES	
C200079228	-	OLD DESIGN 550030215 B/P REV TO USE OLD STYLE HSG.& REAMER	
C200079229	-	OLD DESIGN 200022300 B/P REV.	
C200079230	-	OLD DESIGN 200022301 B/P REV.	
C200079231	-	OLD DESIGN 200022302 B/P REV.	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079232	-	FRONT END TURN INSULATOR CMO	
C200079233	-	REAR END TURN INSULATOR CMO	
C200079234	-	HOUSING-553002072 REV.D	
C200079235	-	COIN SILVER-(INDUSTRIAL SYNCHRO) SLIP RING	
C200079236	-	END BELL-(554002591 REV.D)	
C200079237	-	GEAR CR90119006 GR	
C200079238	-	SPACER FOR DUMMY SHAFT(551102206 T76)	
C200079239	-	ARROR BLAST 240 (CLEAN STACKS)	
C200079240	-	ROTOR SUB-	
C200079241	-	73X MARKING INK	
C200079242	-	OBSOLETE	
C200079243	-	SAME AS 551052360 EXCEPT .4938 +.0000 -.0002 DIA.(ROT.551071656)	
C200079244	-	HOUSING-SAME AS 553012571 EXCEPT FINISH DIA'S	
C200079245	-	"ELASH"POTTING COMPOUND XCF 765/H3747 (HYSOL)	
C200079246	-	ADHESIVE K 16 (HYSOL)	
C200079247	-	PAPER CUPS-PURCHASED	
C200079248	A	3M #54 .250 WIDE X 72 YD ROLL	80260
C200079249	-	STATOR & HOUSING-550080046 REV.D	
C200079250	-	(AMCO)STAINLESS STEEL SOLDERING ACID-SAME AS 126500 REF:C540010385 C333002353 TERMINAL SUPPORT	
C200079251	-	554002026 END BELL WITH BRIGHT FINISH	
C200079252	-	553002252 HOUSING WITH BRIGHT FINISH	
C200079253	-	490194014 BRG.EXCEPT O.D.TO BE +.0001 -.0000 CODE "O"	
C200079254	-	ROTOR-SAME AS 326169-1 EXCEPT O.D.	
C200079255	-	552052282 NOT DANCO LAM	
C200079256	-	552052289 NOT DANCO LAM	
C200079257	-	552052178 STACK-NONE DANCO LAMS	
C200079258	-	552052294 STACK-NONE DANCO LAMS	
C200079259	-	552052277 STACK-NONE DANCO LAMS	
C200079260	-	200012952 WITH .751 O.D.(L.P.)	
C200079261	-	375022308 WITH .7500 O.D.	
C200079262	A	MINEX 2 (POWDER) FROM UNIMIN CORP.	87164
C200079263	-	550030634 EXCEPT OLD STYLE (200079153) HSG.	
C200079264	-	550030635 EXCEPT OLD STYLE (200079153) HSG.	
C200079265	-	553002072 EXCEPT .713 +.0012 -.000 TO BE .7122 +.001 -.000	
C200079266	-	RING ASS'Y ELEC.CONTACT 120 DEGREE LEADS	
C200079267	-	OBSOLETE-SEE PART NO.200079786 T.COLE 5/24/78	
C200079268	-	UNICOAT 501 POWDER (FOR STACKS TO BE AUTOMATICALLY WOUND) (SEE OPERATION SHEET)	
C200079269	-	CMO HOUSING REQUEST BY P.W RIX	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079270	-	333002168 VENDOR USE ONLY	
C200079271	-	333002169 VENDOR USE ONLY	
C200079272	-	333002147 VENDOR USE ONLY	
C200079273	-	SHIELD-SAME AS 509002116 EXCEPT SLOT-RN#38363	
C200079274	-	9/16"WIDE .002 THK.KYPTON COATED & SLIT(INMANCO)	
C200079275	-	25/64"WIDE .002 THK.KYPTON COATED & SLIT(INMANCO)	
C200079276	-	AWG 28 TEFLON TURBINE SLOT WEDGES 101105500..EXAMPLE	
C200079277	-	AWG 30 TEFLON TURBINE SLOT WEDGES B/P	
C200079278	-	REAR COVER-WITHDRAW 315002360 REAR COVER&DRILL .234 +.004 -.004 THRU CENTER/FOR L.P.ISSUE	
C200079279	-	CR40119006-ROTOR(CUT OFF 326759-1)	
C200079280	-	CR40119006 GR.L.P.STA.& HSG.(326766-5 WITH 30" LEADS)	
C200079281	-	6" WIDE MYLAR 1 MIL THK.SATIN FINISH DUPONT	
C200079282	-	ROTOR STACK-SAME AS 200019275 EXCEPT "X" SURFACE FREG OF WHIRLCLAD ON BOTH ENDS	
C200079283	-	ROTOR STACK-SAME AS 200019775 EXCEPT"X" SURFACE FREG ON WHIRLCLAD ON BOTH ENDS	
C200079284	-	OBSOLETE	
C200079285	-	STA.& HSG. NEW DESIGN	
C200079286	-	ROTOR-OLD DESIGN FOR 326169-1 (O.D.CHANGE)	
C200079287	-	ROTOR-OLD DESIGN FOR 326169-2 (O.D.CHANGE)	
C200079288	-	ROTOR-OLD DESIGN FOR 326169-4 (O.D.CHANGE)	
C200079289	-	OLD DESIGN STA.& HSG.#326215-1	
C200079290	-	OLD DESIGN STA.& HSG.#326215-2	
C200079291	-	OLD DESIGN STA.& HSG.#326215-3	
C200079292	-	SUPERSEDED BY 550080860	
C200079293	-	SUPERSEDED BY 550031436	
C200079294	-	NEW DESIGN STATOR & HOUSING #000 000 030	
C200079295	-	OLD ROTOR SUB WITH NEW WINDING(Q.R.)REPLACES 551002794	
C200079296	A	HANDY&HARTMAN LOW TEMP.BRAZING FLUX AMS 3410 SEE OPERATION SHEETS	50244
C200079297	-	COVER-WITHDRAW 315002360 REAR COVER&DRILL .187 +.005 -.005 HOLE THRU CENTER/FOR L.P. USE	
C200079298	-	BEARING-SR2R22P35-LY11 FRONT BRG. CR40809043	
C200079299	-	BEARING-S418R22P35-LY11 REAR BRG.	
C200079300	2	INSERT POST-ELASH REF DRAWING C200044945	86922
C200079301	-	#553012154 HSG. FINISHED MOUNTING DIA. FOR	
C200079302	-	#553012158 HSG. FINISHED MOUNTING DIA.FOR	
C200079303	-	CANCELLED PER NOC#12356 & REJECTED RN#38491 (HMK)	
C200079304	-	333002273 SUPPORT-BOUGHT TO REV"C"-REWORK CUT OFF ADD SHIM 200079017	
C200079305	-	303 S.S.HOUSING FOR CV20174001 ONLY (FORMERLY 553012600)	
C200079306	-	303 S.S. END BELL FOR CV20174001 ONLY(FORMERLY 554002600)	
C200079307	-	SEE C200079362 R 4/21/75	
C200079308	-	318012128 EXCEPT #2-64 THREADED I.D. (200032732)	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079309	-	SAME AS 200032732 EXCEPT USES 200079308 POST	
C200079310	-	COMPONENT BOARD ASS'Y	
C200079311	-	MODIFIED 536004343 COMPONENT BOARD-R7	
C200079312	-	SAME AS 200002932 ADAPTER ASS'Y EXCEPT USES 200079308 TERM-(ASS'Y 200079309)	
C200079313	-	COPPER CASTING FOR L.P.CM40844008	
C200079314	-	COMPONENT BOARD ASS'Y MODIFIED	
C200079315	-	GLASS,CLOTH,(PER C190000349),PREIMPREGNATED B-STAGED EPOXY RESIN	
C200079316	-	INSULATOR USING 200079315 MAT'L FOR 555001011 COMMUTATOR	
C200079317	-	SAME AS 307002100 EXCEPT FOR INSULATION SLOTS	
C200079318	-	MODIFIED 536004343 COMPONENT BOARD	
C200079319	-	COMPONENT BOARD	
C200079320	-	IFCO-1700 INSUL.PAINT(PER B101063012) KT-70	
C200079321	-	IFCO-NPS-6165-1 THINNER (FOR-320 ABOVE)(PER B101063012) KT-70	
C200079322	-	AUOBOND TC GOLD STRIKE SOLUTION KT-70	
C200079323	-	AUTRONEX CL MAKE UP GOLD SOLUTION KT-70	
C200079324	-	AUTRONEX CL REPLINISHER KT-70	
C200079325	-	#553002537 HSG.MADE FROM 303 MAT'L	
C200079326	-	INSULATOR USING 200079315 MAT'L FOR 555001010 COMMUTATOR	
C200079327	-	STATOR& HSG.USING 303 HSG,ABOVE(200079305&306)	
C200079328	-	SIZE 44 HML COLORED MAGNET WIRE	
C200079329	-	DELETED-SUPERSEDED BY 551071782	
C200079330	-	STA.& HSG.550080011 EXCEPT USING 3-COIL WINDING	
C200079331	-	STA.& HSG.550042006 EXCEPT USING 3-COIL WINDING	
C200079332	-	STA.& HSG.550042009 EXCEPT USING 3-COIL WINDING	
C200079333	-	STA.& HSG.550042017 EXCEPT USING 3-COIL WINDING	
C200079334	-	STA.& HSG.550042018 EXCEPT USING 3-COIL WINDING	
C200079335	-	STA.& HSG.550042461 EXCEPT USING 3-COIL WINDING	
C200079336	-	STA.& HSG.550042469 EXCEPT USING 3-COIL WINDING	
C200079337	-	STA.& HSG.550080012 EXCEPT USING 3-COIL WINDING	
C200079338	-	SUPERSEDED BY 200062952	
C200079339	-	SUPERSEDED BY 200062962	
C200079340	-	SUPERSEDED BY 200062937	
C200079341	-	SUPERSEDED BY 200062940	
C200079342	-	SUPERSEDED BY 200062942	
C200079343	-	SUPERSEDED BY 200062943	
C200079344	-	SUPERSEDED BY 200062936	
C200079345	-	SUPERSEDED BY 200062939	
C200079346	-	SUPERSEDED BY 200062938	
C200079347	-	SUPERSEDED BY 200062941	

PRODUCT LOG
(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079348	-	SUPERSEDED BY 200062934	
C200079349	-	SUPERSEDED BY 200062931	
C200079350	-	HOUSING 553002072 WITH FINISHED PILOT DIA'S	
C200079351	-	DEI#01472-558012106 S.R.ASS'Y(GOLD ALLOY 8227 BAKER)	
C200079352	-	DEI#01472-SUPPORT(FOR FLAT BRUSH 333002150)	
C200079353	-	DEI#01472-SUPPORT(FOR FLAT BRUSH 333002151)	
C200079354	-	DEI#01472-BRUSH&HOLDER(558042183)USES 200079352&353	
C200079355	-	RING&LEAD ASS'Y-(SAME AS 558052110 EXCEPT 200079351)	
C200079356	-	ROTOR SUB USING 200079355 S.R.(551052915)	
C200079357	-	ROTOR 551070817 (ROTOR)EXCEPT USES 200079356 R.S.	
C200079358	-	ROTOR 551071347 EXCEPT USES 551062221 ROTOR SUB	
C200079359	-	#554002562 END BELL WITH ENLARGED LEAD WIRE HOLES	
C200079360	-	BUORD HSG.553002101 HOUSING WITH NOTCH(MOUNTING)	
C200079361	-	SUPERSEDED BY C200062959	
C200079362	A	USE DRAWING, NO OP SHEETS (PARTS NOW HAVE DRAWINGS NO OP SHEETS REQUIRED)	76844
C200079363	A	USE DRAWING, NO OP SHEETS (PARTS NOW HAVE DRAWINGS NO OP SHEETS REQUIRED)	76844
C200079364	A	USE DRAWING, NO OP SHEETS (PARTS NOW HAVE DRAWINGS NO OP SHEETS REQUIRED)	76844
C200079365	-	GRIND STACK O.D.ON 552052307 TO 1.645/1.646	
C200079366	-	LAMINATION	
C200079367	-	SUPERSEDED BY 550031161	
C200079368	-	AUTRONEX C1 CONDUCTING SALTS KT-70	
C200079369	-	FOR OLD STYLE LAMS 552002440(.010 THK.)REF:RN#43741	
C200079370	-	EYELET FOR 200062014	
C200079371	-	STUD FOR 200062014	
C200079372	-	KXM 7251 FP BLUE MARKEM INK(FOR IDENTIFICATION OF CASTINGS WITH HYPERCO LAMS)	
C200079373	-	COMPONENT BOARD (ELASH PROGRAM)	
C200079374	-	INTEGRALLY ISULATED MOTOR STACK-REF. 552052221	
C200079375	-	8-SLOT STATOR LAM-THOMPSON P/N 11M8S-375	
C200079376	-	8-SLOT STATOR LAM STACK FOR DEI#01488-REF.552052305	
C200079377	-	STA.& HSG.ASS'Y-DEI#01488-REF.550032903	
C200079378	-	STA.& HSG. ASS'Y-OLD STYLE HSG.& RETAINER DISC 8	
C200079379	-	ADHESIVE-ELASH PROGRAM	
C200079380	-	SUPERSEDED BY B101001013	
C200079381	-	SUPERSEDED BY C101061113	
C200079382	-	557011027 POLE PC MAGNET WITH B101063012 INSUL. KT-70	
C200079383	-	SUPERSEDED BY B101001012	
C200079384	-	ROTOR-SAME AS 551070237 EXCEPT FOR TORQUE REQ. L.P.	
C200079385	-	CSR13C396KM-BEING REPLACED WITH THIS NUMBER	
C200079386	-	CSR13C475MM-BEING REPLACED WITH THIS NUMBER	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079387	-	CSR13F685MM-BEING REPLACED WITH THIS NUMBER	
C200079388	-	172D224X5020J2-BEING REPLACED WITH THIS NUMBER	
C200079389	-	162D475X0006AB2-BEING REPLACED WITH THIS NUMBER	
C200079390	-	T573-10396-BEING REPLACED WITH THIS NUMBER	
C200079391	-	CSR13E125KM-BEING REPLACED WITH THIS NUMBER	
C200079392	-	CAPACITOR CHART SELECTOR	
C200079393	-	CAPACITOR CHART SELECTOR	
C200079394	-	CAPACITOR CHART SELECTOR	
C200079395	-	CAPACITOR CHART SELECTOR	
C200079396	-	LAMINATION PER DEI#01488(8-SLOT)(DANCO)	
C200079397	-	HSG.& MAGNET ASS'Y OF 200012931 MFG.HITACHI MAG.	
C200079398	-	HITACHI MAGNETS	
C200079399	-	END BELL FOR Q-FORM (CT90192002) (L.P.)	
C200079400	-	OBSOLETE	
C200079401	-	ROTOR RING L.P.CR00174025-35% COBALT L.P.	
C200079402	-	CORE-L.P.UNIT 200012950 WITH MADIFICATIONS	
C200079403	-	SLEEVE-FOR I.D.OF STATOR L.P. CR00174025	
C200079404	-	S&H FOR CM91004018 FOR DEI#1524 (PRESS IN)	
C200079405	-	STA.STACK 552052249-I.D.GROUND TO .3840 +.0003 -.0000 L.P.	
C200079406	-	PROPOSED HUB INSULATOR FOR CMO ROTORS	
C200079407	-	HOUSING SIMILAR TO 553012027 EXCEPT LENGTH L.P.	
C200079408	-	LAMINATION-SAME AS 552001023 EXCEPT .014 +.0015 -.0015 THK. USE ON 552051042	
C200079409	-	DEI#01613 CM41014050 SLIP RING ASS'Y EPIALL 1914	
C200079410	-	DEI#01613 BRUSH HOLDER EPIALL 1908	
C200079411	-	DEI#01613 BRUSH BLOCK EPIALL 1908	
C200079412	-	DEI#01613 ROTOR SUB EPIALL 1908	
C200079413	-	DEI#01613 ROTOR EPIALL 1908	
C200079414	-	EPIALL 1908 20"-30" SPIRAL ALLIED CHEMICAL	
C200079415	-	SUPERSEDED BY C101061113	
C200079416	-	ROTOR FOR CM41005001 .3%DC OHMS BAL.FOR NULL & DOES NOT REQ.1000 V HI-POT REQ.	
C200079417	-	SHAFT(SERVICE & REPAIR) CT90701003 A.T	
C200079418	-	END BELL CU90860001-SAME AS 554002108-EXCEPT GROOVE LOCATION	
C200079419	-	STACK ASS'Y(ROTOR)SAME AS 552052331 EXCEPT STACK HEIGHT TO BE .840 & 60 LAMS REQ'D	
C200079420	-	558012111 RING WITHOUT KNURL IN I.D.DEI#1616	
C200079421	-	200012230 S.RING ASS'Y EPIALL MATERIAL & 200079420 RING DEI#1616	
C200079422	-	EPIALL 1914 7" SPIRAL EPOXIE MOLDING MAT'L DEI#1616 BLACK	
C200079423	-	SPACER FOR ROTOR L.P.CT90130002 G.R. REF. 114292-2	
C200079424	-	LAM& CONDUCTOR BAR ASS'Y-SAME AS 551102103 EXCEPT PA 507	
C200079425	-	CAPACITOR JAN TX IN483B ELASH	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079426	-	DIODE JAN TX IN972B	
C200079427	-	CAPACITOR JAN TX 2N2222A	
C200079428	-	CAPACITOR JAN TX 2N2907A	
C200079429	-	CAPACITOR	
C200079430	-	CAPACITOR	
C200079431	-	CAPACITOR	
C200079432	-	CAPACITOR	
C200079433	-	CAPACITOR	
C200079434	-	CAPACITOR	
C200079435	-	STATOR STACK 552052293(SOA#A293) MOD.PER I.D.O.#80-82-9878	
C200079436	-	STATOR STACK 552052172 (SOA#A294)MOD.PER I.D.O.#80-82-9878	
C200079437	-	HOUSING-SAME AS 553012000 EXCEPT MAT'L (303) L.P.	
C200079438	-	END BELL-SAME AS 554002300 EXCEPT MAT;L(303)L.P.	
C200079439	-	SHAFT WITH INTERNAL THREAD OLD DESIGN	
C200079440	-	ROTOR USING -439 SHAFT OLD DESIGN	
C200079441	-	DRAG CUP USING ABOVE SHAFT & ROTOR	
C200079442	-	SUPERSEDED BY 551062450	
C200079443	-	SUPERSEDED BY 551062450	
C200079444	-	SUPERSEDED BY 551062451	
C200079445	-	SUPERSEDED BY 551062450	
C200079446	-	SUPERSEDED BY 551062450	
C200079447	-	SUPERSEDED BY 551062452	
C200079448	-	SUPERSEDED BY 551062453	
C200079449	-	SUPERSEDED BY 551062454	
C200079450	-	SUPERSEDED BY 551062455	
C200079451	-	SUPERSEDED BY 551062456	
C200079452	-	SUPERSEDED BY 551062456	
C200079453	-	SUPERSEDED BY 551062460	
C200079454	-	SUPERSEDED BY 551062462	
C200079455	-	SUPERSEDED BY 551062463	
C200079456	-	SUPERSEDED BY 551062457	
C200079457	-	SUPERSEDED BY 551062458	
C200079458	-	SUPERSEDED BY 551062459	
C200079459	-	SUPERSEDED BY 551062451	
C200079460	-	SUPERSEDED BY 551062461	
C200079461	-	ROTOR SUB(REF.ROTOR 551071050)	
C200079462	-	ROTOR SUB(REF.ROTOR 551071052)	
C200079463	-	ROTOR SUB(REF.ROTOR 551071053)	
C200079464	-	SUPERSEDED BY 551062464	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079465	-	DEI#01539 375022325 SLEEVE	
C200079466	-	DEI#01539 551071433 ROTOR	
C200079467	-	SHAFT#340012301 MFG.BEFORE 6/18/68 ON REV.I OP#20	
C200079468	-	LAM & CASTING #551102118 MFG.BEFORE 6/18/68	
C200079469	-	SUPPORT SLEEVE CR20174003 PER DEI#01611	
C200079470	-	COVER-WITHDRAW 315002360 REAR COVER&DRILL .159 DIA. HOLE THRU CENTER L.P.USE ONLY	
C200079471	-	SUPPORT&HOLDER-SAME AS 200042506 EXCEPT OMIT "D" & "E" ("Q"FORM L.P.)	
C200079472	-	BASE ASS'Y-C703148014 AMP.	
C200079473	-	SUPERSEDED BY 200079916	
C200079474	-	SUPERSEDED BY 200079918	
C200079475	-	MODIFIED C551102116 CASTING FROM CHASE-DEI#01621	
C200079476	-	BROACHED CAGE-DEI#01623(REF. 551102116)	
C200079477	-	HSG-SAME AS 376751-9 EXCEPT .125 MILLED SLOT	
C200079478	-	SAME AS 550032731 EXCEPT USES HSG. 200079477	
C200079479	-	SHAFT AND SKEWED STACK ASS'Y-DEI#01623	
C200079480	-	MAGNET METALS LAM #620ST USED ON CM40192007 PER RN#54531	
C200079481	-	ROTOR SUB-SAME AS 551052363 EXCEPT RTR.O.D.(RTR.551071662)	
C200079482	-	ROTOR SUB-SAME AS 551052350 EXCEPT RTR.O.D. (RTR.551071663)	
C200079483	-	SAME AS C540042162 EXCEPT FLANGE REVERSED L.P.	
C200079484	-	SLIP RING ASS'Y(POP-ON INSTEAD OF MOLDED ON SHAFT)	
C200079485	-	STATOR STACK-SAME AS 552052206 EXCEPT USES 230275 LAM.	
C200079486	-	COVER-315002360 EXCEPT HOLE THRU CENTER .159 +.002 -.004	
C200079487	-	PROPOSED REGISTER FOR CM41014084	
C200079488	-	LIKE 550032504 S&H EXCEPT PRESS-IN DESIGN	
C200079489	-	PAPER CUP ASS'Y(POTTING FUNNEL)W/.250 DIA.HOLE "ELASH"	
C200079490	-	3M TAPE #465 FOR 200079489 CUP ASS'Y "ELASH"	
C200079491	-	1/2 OZ.LILY PORTION CUP #050 FOR 200079489 CUP ASS'Y "ELASH"	
C200079492	-	DEI#01539 C375022343 SLEEVE	
C200079493	-	DEI#01539 C200052389 STATOR & RET.PATH	
C200079494	-	ALPHA BELIA OIL NO.2350 FOR SOLD.MACH.	
C200079495	-	STATOR END RING & SLEEVE BLANK(200062017 & 375022342)	
C200079496	-	OBSOLETE BY C101031101 R.L.	
C200079497	-	OBSOLETE BY C101040006 R.L.	
C200079498	-	THINNER-ALPHA 810	
C200079499	-	SLIP RING ASS'Y-SAME AS 200012238 EXCEPT ADD 4TH RING (L.P.)	
C200079500	-	200012231 S.R.ASS'Y EPIALL 1914 & 200079420 RING	
C200079501	-	200012234 S.R. ASS'Y EPIALL 1914 & 200079420 RING	
C200079502	-	EPON 815	
C200079503	-	.015 DIA. SOLDER SN60 SOLID WIRE TERM.D.C. TACH.ROTORS	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079504	-	22-L-0812 HARDNER UNION CARBIDE	
C200079505	-	16 GAGE COPPER WIRE(NO PLANTING OR INSULATION)	
C200079506	-	OAKITE CRYSCOAT ERF.-9608	
C200079507	-	SUPERSEDED BY 511002534	
C200079508	-	DOLPH-1080 L-POLYESTER VARNISH DEI#EVAL.	
C200079509	-	EPIALL 1914 7"SPIRAL BLUE 200012232,233,237,238	
C200079510	-	ALCOA INSUL. POWDER R-20(EMI-50050)	
C200079511	-	OBSOLETE (SEE-515)	
C200079512	-	MEXICO CONTROLLED OP SHEET	
C200079513	-	MEXICO CONTROLLED OP SHEET	
C200079514	-	MEXICO CONTROLLED OP SHEET	
C200079515	-	SAME AS #554002583 EXCEPT 1.500 DIA. TO BE .875/USED FOR L.P.UNIT CU40194003	
C200079516	-	SLIP RING ASS'Y 921-IF(SAME AS 558052109 EXCEPT LARGER I.D..095-.096)	
C200079517	-	SLIP RING ASS'Y 931-OF(SAME AS 558052110 EXCEPT .095-.096 I.D)	
C200079518	-	DEI CONTROLLED PART NO.FOR C555031478 S&H USED ON CU09626002 MACH'D STACKS	
C200079519	-	DEI CONTROLLED PART NO.FOR C552052336 S&H USED ON CU09626002 MACH'D STACKS	
C200079520	-	DEI CONTROLLED PART NO.FOR C552002445 LAM.USED ON CU09626002 MACH'D STACKS(.369 +.001 - .000)(.704 +.001 -.001)	
C200079521	-	DEI CONTROLLED PART NO. FOR C557002164 MAGNET USED ON CU09626002 MACH'D STACKS (.369 +.001 - .000)(.704 +.001 -.001)	
C200079522	-	POST SPACER C301022177 EXCEPT "A" TO BE .172	
C200079523	-	COVER 315002217 EXCEPT "B" TO BE 1.433,ETC.	
C200079524	-	SLOT INSULATION 23/64 WIDE,.002 THK.NEW PART NO. TO BE ASSIGNED	
C200079525	-	HSG-SAME AS 323086-1 EXCEPT O.D.OF HSG.PAINTED BLACK MOD 1 675068	
C200079526	-	SHORT SIZE 8 LINEAR ROTOR STACK-LIKE 200019870 EXCEPT	
C200079527	-	SHORT SIZE 8 LINEAR STATOR STACK-LIKE 552052176 EXCEPT	
C200079528	-	SAME AS 230278 INSULATION(PER DEI#715) MAT'L IS FEP TEFLON INSTEAD OF GLASS CLOTH	
C200079529	-	SAME AS 375022328 EXCEPT I.D.TO BE 2.0895-2.0900 RET.PATH SLEEVE	
C200079530	-	SAME AS 375022343 EXCEPT I.D.TO BE 1.1580-1.1585 O.D.-2.0900-2.0905 STA.SLEEVE	
C200079531	-	STA.& HSG.-SAME AS 200052389 EXCEPT	
C200079532	-	SAME AS 554002584 EXCEPT-	
C200079533	-	SAME AS 550042004 EXCEPT PROCESSED PER DEI#01495	
C200079534	-	SPECIAL 200019650 STACKS FOR ENGINEERING	
C200079535	-	SUPERSEDED BY C511002547 R	
C200079536	-		
C200079537	-	SHAFT & LAM ASS'Y FOR MITSUBISHI ROTOR 200019554	
C200079538	-	550031104 S&H WITH 200079527 STACK	
C200079539	-	551062228 WITH 200079526 STACK	
C200079540	-	551071346 WITH 200079539 SUB ASS'Y	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079541	-	BACON 24A COMPOUND C708200002	
C200079542	-	BACON BA-45 ACTIVATOR C70820-002	
C200079543	-	SPECIAL ROTOR STACK FOR DEI#1494	
C200079544	-	SHAFT-SAME AS 340010368 EXCEPT "A" TO BE .0900 +.00 -.0005 AND "B" .507 +.0 -.003	
C200079545	-	SPECIAL STA.& HSG. DEI#1494	
C200079546	-	SPECIAL STATOR DEI#1494	
C200079547	-	SPECIAL ROTOR DEI#1494	
C200079548	-	SPECIAL ROTOR SUB ASS'Y DEI#1494	
C200079549	A	OBSOLETE, SEE C200086061-002 (FORMERLY CURING AGENT "Z") NOTE DELETE OP SHEETS	80050
C200079550	-	NEW PART NO.FOR (551071546)PER DEI#01532(ROTOR&HUB ASS'Y)	
C200079551	-	NEW PART NO.FOR (550070531)PER DEI#01532(STATOR & HSG.)	
C200079552	-	MIL SPEC PAINT-MIL-P-5556	
C200079553	-	RETAINER BEARING-SAME AS 343002252 REV#E(TO KEEP SEPARATE)	
C200079554	-	PLATE-TERMINAL-300052110 REV#C (TO KEEP SEPARATE)	
C200079555	-	PLATE & TERMINAL ASS'Y 200032726 REV#C (TO KEEP SEPARATE)	
C200079556	-	COVER-315002726 REV#C (TO KEEP SEPARATE)	
C200079557	-	END BELL-554002424 REV#D (TO KEEP SEPARATE)	
C200079558	-	END BELL-554002430 REV#G (TO KEEP SEPARATE)	
C200079559	-	END BELL-554002431 REV#G (TO KEEP SEPARATE)	
C200079560	-	490164057 BEARINGS RE-LUBED WITH DC-33	
C200079561	-	SUPERSEDED BY B101001054	
C200079562	-	SUPERSEDED BY B101001015	
C200079563	-	EPIALL 1914-12"SPIRAL MOLDING MAT'L	
C200079564	-	554002431	
C200079565	-	STATOR END RING& COIL SLEEVE (200062075 & 375022355)	
C200079566	-	4 ROTOR-4 STATOR-558042523 FLEX TAPE MODIFIED	
C200079567	-	2 ROTOR-3 STATOR 558042520	
C200079568	-	TERMINAL-MODIFIED-200032900	
C200079569	-	SUPPORT-MODIFIED-333002400	
C200079570	-	ROTOR STACK	
C200079571	-	(COIN SILVER)PLATE (200062240)	
C200079572	-	603-2 DC KAPTON TAPE (RN#62857)	
C200079573	-	NEW DESIGN SUB ASS'Y FOR CR40980047	
C200079574	-	NEW DESIGN SHAFT FOR CR40980047	
C200079575	-	NEW DESIGN ROTOR FOR CR40980047	
C200079576	-	SUPERSEDED BY C200062927	
C200079577	-	PRIMER MIL-P-23337 EPOXY POLYAMIDE	
C200079578	-	THINNER ACRYLIC-NITROCELLULOSE LACQUER	
C200079579	-	SUPERSEDED BY C200062935	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079580	-	SUPERSEDED BY 200052991 (PER 75105)	
C200079581	-	SAME AS 511042202 INSULATOR EXCEPT FEP TEFLON DEI#717	
C200079582	-	SAME AS 511042205 INSULATOR EXCEPT FEP TEFLON DEI#717	
C200079583	-	SAME AS 309002161 SPRING EXCEPT MAT'L IS INCONEL	
C200079584	-	SAME AS 101724444 EXCEPT NICKEL PLATED INSTEAD OF SILVER	
C200079585	-	SAME AS 101724999 EXCEPT NICKEL PLATED INSTEAD OF SILVER	
C200079586	-	SAME AS 101724000 EXCEPT NICKEL PLATED INSTEAD OF SILVER	
C200079587	-	SAME AS 101724222 EXCEPT NICKEL PLATED INSTEAD OF SILVER	
C200079588	-	SAME AS 101724111 EXCEPT NICKEL PLATED INSTEAD OF SILVER	
C200079589	-	SAME AS 101724666 EXCEPT NICKEL PLATED INSTEAD OF SILVER	
C200079590	-	C551072161 WITH HUB& SHIELD (CX ROTOR)NEXT ASS'Y 551075022	
C200079591	-	C551072162 WITH HUB (CDX ROTOR)NEXT ASS'Y 551075022	
C200079592	-	SUPERSEDED BY 200062308	
C200079593	-	WFH 27075C6M1 CAPACITOR	
C200079594	-	SAME AS 200052520 CEMENTED WITH SCOTCHCAST	
C200079595	-	SAME AS 550031255 CEMENTED WITH SCOTCHCAST	
C200079596	-	SHAFT-SAME AS 340010601 EXCEPT "A"-"B" FLAT ON SHAFT EXT.	
C200079597	-	FOR PLT#5 FOR MODIFICATION TO 558042249	
C200079598	-	C552002356 LAMS .014 +.001 -.001 THICK (DEI)	
C200079599	-	STACK-SAME AS 552052582 EXCEPT USE 200079598 (DEI)	
C200079600	-	ROTOR & HUB ASS'Y USING 200079599 STACKS (DEI)	
C200079601	-	C552002357 LAMS EXCEPT .014 +.001 -.001 THICK (DEI)	
C200079602	-	STACK-SAME AS 552052684 EXCEPT USE 200079601 (DEI)	
C200079603	-	STATOR & HSG. ASS'Y USING 200079602 STACK (DEI)	
C200079604	-	BEARING-SAME AS 490231029 EXCEPT I.D.& O.D. SIZE (DEI)	
C200079605	-	BEARING-SAME AS 490241014 EXCEPT I.D.& O.D. SIZE (DEI)	
C200079606	-	BEARING-SAME AS 490231024 EXCEPT I.D.& O.D. SIZE (DEI)	
C200079607	-	BEARING-SAME AS 490221024 EXCEPT I.D.& O.D. SIZE (DEI)	
C200079608	-	DEI#1644 ROTOR (200052520) KT-70	
C200079609	-	DEI#1644 STA.& HSG.(550031255) KT-70	
C200079610	-	DEI#1644 ROTOR STACK(552052682) KT-70	
C200079611	-	DEI#1644 STATOR STACK (552052684) KT-70	
C200079612	-	DEI#1645 ROTOR (551075001) KT-70	
C200079613	-	DEI#1645 STA.& HSG. (550075001) KT-70	
C200079614	-	DEI#1645 ROTOR STACK (552052681) KT-70	
C200079615	-	DEI#1645 STATOR STACK(552052683) KT-70	
C200079616	-	ROTOR-SAME AS 326217 EXCEPT SHAFT EXT.DIA. G.F	
C200079617	-	LUB PER NOTE#8 OF DRAWING#C200052235 THRU 259 (C101151104 WITH 5% MOS2 ADDITIVE)	
C200079618	-	COMP.BRD.FOR C703148012 AMPL.	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079619	-	ROTOR SUB 7 SLOT RN#63950 FOR 551071053	
C200079620	-	POTTING COMPOUND:E&C STYCAST 2850 FT W/CATALYST II(PER MSG#324)"ELASH"	
C200079621	-	4 HOLE POWERED METAL HUB FOR 900 SERIES	
C200079622	-	MAGNET-SAME AS 557002153 EXCEPT LENGTH TO BE .585 +.003 -.003	
C200079623	-	STA.& HSG.-SAME AS C550080019 EXCEPT STA.	
C200079624	-	STA.& HSG.-SAMEAS C550080012 EXCEPT STA.	
C200079625	-	D.E.I.#16	
C200079626	-	D.E.I.#16	
C200079627	-	D.E.I.#16	
C200079628	-	D.E.I.#16	
C200079629	-	D.E.I.#16	
C200079630	-	D.E.I.#16	
C200079631	-	D.E.I.#16	
C200079632	-	D.E.I.#16	
C200079633	-	ROTOR (000000133) ALMA	
C200079634	-	SHAFT (000000132)-SAME AS 340002030 EXCEPT	
C200079635	-	HSG.553002047 REV#C GR	
C200079636	-	STYROFOAM BLOCKS 2 5/8" X 1 5/8" WD. 1" THICK	
C200079637	-	FLUX MIL-F-14256 TYPE W	
C200079638	-	C551012389 ROTOR DEI#1505	
C200079639	-	C551052512 ROTOR SUB DEI#1505	
C200079640	-	C552002101 LAMINATION DEI#1505	
C200079641	-	DEI#1649-LIKE 551071395 ROTOR	
C200079642	-	DEI#1649-LIKE 551062262 ROTOR SUB	
C200079643	-	DEI#1649-LIKE 200019774 STACK	
C200079644	-	NICKEL PLATING CHEMICAL ENPLATE N1410A	
C200079645	-	NICKEL PLATING CHEMICAL ENPLATE N1410B	
C200079646	-	NICKEL PLATING SOLUTION 2080	
C200079647	-	CLEANING & DE OXIDIZING SOLUTION 1010	
C200079648	-	STACK,ROTOR USING (#200079640 LAM)	
C200079649	-	BASE-SEL.REX FOR PH ADJUSTMENT GOLD PLATING	
C200079650	-	ACID-SEL.REX FOR PH ADJUSTMENT GOLD PLATING	
C200079651	-		
C200079652	-	CU06360022 ROTOR LAMS C552002415	
C200079653	-	CU06360022 ROTOR STACK C552052320	
C200079654	-	CU06360022 ROTOR ASS'Y C551075006	
C200079655	-	CU06360022 STATOR LAM C552002416	
C200079656	-	CU06360022 STATOR STACK C552052321	
C200079657	-	CU06360022 STATOR ASS'Y C550075006	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079658	-	DEI#1616-200012231	
C200079659	-	DEI#1616-200012234	
C200079660	-	RHODEX REPLINISHER CONCENTRATED	
C200079661	-	RHODEX MAKE UP CONCENTRATED	
C200079662	-	LIKE 551002005 EXCEPT 1000 V HI-POT	
C200079663	-	LIKE 551002006 EXCEPT 1000 V HI-POT	
C200079664	-	LIKE 551002026 EXCEPT 1000 V HI-POT	
C200079665	-	LIKE 551002049 EXCEPT 1000 V HI-POT	
C200079666	-	LIKE 551002056 EXCEPT 1000 V HI-POT	
C200079667	-	LIKE 551002027 EXCEPT 1000 V HI-POT	
C200079668	-	LIKE 551002028 EXCEPT 1000 V HI-POT	
C200079669	-	LIKE C552001029 LAM-DEI#01509	
C200079670	-	LIKE 552051040 STACK ASS'Y DEI#01509	
C200079671	-	LIKE 550003553 STATOR DEI#01509	
C200079672	-	LIKE 550043520 STA.& HSG. DEI#01509	
C200079673	-	LIKE PICK-OFF ASS'Y C708200002 DEI#01509	
C200079674	-	SUPERSEDED BY 200052096	
C200079675	-	SUPERSEDED BY 200052097	
C200079676	-	46 1/2 GAGE MAGNET WIRE (200052000 TYPE)	
C200079677	-	SPEC.LAM FOR CMO	
C200079678	-	DEI#1505 551012300 ROTOR THOMPSON LAM	
C200079679	-	DEI#1505 551052512 ROTOR SUB THOMPSON LAM	
C200079680	-	DEI#1505 551012334 ROTOR THOMPSON LAM	
C200079681	-	DEI#1505 551052530 ROTOR SUB THOMPSON LAM	
C200079682	-	DEI#1505 551071392 ROTOR THOMPSON LAM	
C200079683	-	DEI#1505 551052553 ROTOR SUB THOMPSON LAM	
C200079684	-	SAME AS 558052110 EXCEPT LEAD TO BE 6" THOMPSON LAM	
C200079685	-	SAME AS 551052360 EXCEPT USE 200079684 THOMPSON LAM	
C200079686	-	THOMPSON LAM 083155 DEI#- S&H	
C200079687	-	STACKS USING 200079686 LAM	
C200079688	-	STA.& HSG.USING 200079687 STACKS	
C200079689	-	STA.& HSG.USING 200079687 STACKS	
C200079690	-	LIKE 551052400 SUB ASS'Y THOMPSON LAM	
C200079691	-	LIKE 551052297 SUB ASS'Y THOMPSON LAM	
C200079692	-	LIKE 551002700 ROTOR THOMPSON LAM	
C200079693	-	LIKE 551002708 ROTOR THOMPSON LAM	
C200079694	-	LIKE 551002689 ROTOR THOMPSON LAM	
C200079695	-	LIKE 551012903 ROTOR THOMPSON LAM	
C200079696	-	LIKE 552002107 LAM THOMPSON LAM	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079697	-	LIKE 200019651 STACK THOMPSON LAM	
C200079698	-	EPIBOND 1218 A/B SEE EMI-50103	
C200079699	-	OLD DESIGN 551052660 K25	
C200079700	-	OLD DESIGN 551052662 K25	
C200079701	-	OLD DESIGN 551052663 K25	
C200079702	-	OLD DESIGN 551052668 K25	
C200079703	-	OLD DESIGN 551062016 K25	
C200079704	-	OLD DESIGN 551052661 K26	
C200079705	-	OLD DESIGN 551052664 K26	
C200079706	-	OLD DESIGN 551052665 K26	
C200079707	-	OLD DESIGN 551052666 K26	
C200079708	-	OLD DESIGN 551052669 K43	
C200079709	-	OLD DESIGN 551062013 K43	
C200079710	-	SIZE 10 ROTOR-SAME AS 218927-1 BUT WILL WORK ONLY IN 40V	
C200079711	-	INSULATION 511002547 CEMENTED TO COMMUTATOR 555001011	
C200079712	-	KT-70 SMALL TORQUER LADDER-SAME AS 511001190 EXCEPT ETC.	
C200079713	-	DEI#1545(ROTOR)552002415 LAM STEAM FINISH	
C200079714	-	DEI#1545(STATOR)552002416 LAM STEAM FINISH	
C200079715	-	IMPACT EXTRUSION HSG.FOR QUOTE (BURROUGHS)	
C200079716	-	333003048 HUB-FORM HI-PERM 49	
C200079717	-	551072250 ROTOR-USING 200079716	
C200079718	-	BRUSH BLOCK FOR DEI#668(SAME AS 558042604 EXCEPT "J"TYPE CLIP)	
C200079719	-	DEI#1545 ROTOR STACK	
C200079720	-	DEI#1545 ROTOR&HUB	
C200079721	-	DEI#1545 STATOR STACK	
C200079722	-	DEI#1545 STA.& HSG.	
C200079723	-	SPECIAL SUPPORT 333002147 WITH EXTENSION C.C.ABATE	
C200079724	-	SUPPORT & HOLDER-SAME AS 200002338 EXCEPT USES 200079723 SUPPORT	
C200079725	-	SAME AS 558042023 EXCEPT USES 200079724	
C200079726	-	SAME AS 200002336 EXCEPT USES 200079723	
C200079727	-	SAME AS 558042021 EXCEPT USES 200079726	
C200079728	-	C552002329-REV"D"(THOMPSON DESIGN) DEI#01157	
C200079729	-	C200019774 WITH 200079728 LAMS DEI#01157	
C200079730	-	C551071397 WITH 200079731 ROTOR SUB DEI#01158	
C200079731	-	C551062264 WITH 200079732 STACK DEI#01158	
C200079732	-	200019549 WITH 200079733 LAMS DEI#01158	
C200079733	-	C552002281-REV"B"(THOMPSON DESIGN) DEI#01158	
C200079734	-	558012111-OLD DESIGN NO KNURL IN I.D.	
C200079735	-	552002178 LAM..500 O.D.PER REV"B" OP.SHT'S	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079736	-	551052478 ROTOR SUB WITH 552002178 .4971DIA.	
C200079737	-	12"SPIRAL 1914 MOLDING MATERIAL	
C200079738	-	ROTOR 551002061 WITH CMO TYPE WDG SOA#A255	
C200079739	-	SEE 200079765 T.COLE	
C200079740	-	SAME AS C550042030 EXCEPT 1800 VDC HI-POT	
C200079741	-	SAME AS C550042039 EXCEPT 1800 VDC HI-POT	
C200079742	-	SAME AS C550042063 EXCEPT RN133732 OBSOLETED REPLACED BY C550080181 JS 4/30/87	
C200079743	-		
C200079744	-		
C200079745	-		
C200079746	-		
C200079747	-	STATOR SLEEVE TO SALVAGE #550080232 STA.& HSG. SOA#A276	
C200079748	-	#550080232 STA.&HSG.WITH #200079747 SLEEVE SOA#A277	
C200079749	-	(OBSOLETE)REF.RN#25185 & 25186	
C200079750	-	(OBSOLETE)REF.RN#25185 & 25186	
C200079751	-	WROUGHT ROTOR SLEEVE REDGRAVE PROCESS	
C200079752	-	LAMINATION FOR DEI#01159	
C200079753	-	STACK FOR DEI#01159	
C200079754	-	ROTOR FOR DEI#01159	
C200079755	-	SUPERSEDED BY 551062418	
C200079756	-	SAME AS C550031109 EXCEPT 1000 VDC HI-POT	
C200079757	-	ROTOR SUB FOR DEI#01159	
C200079758	-	550042063 STA.& HSG. FOR DEI#01160	
C200079759	-	552052101 STA.STACK FRO DEI#01160	
C200079760	-	550042478-3COIL WINDINGS 53/26/53	
C200079761	-	SAME AS C550042004 EXCEPT 500VDC/500 VDC HI-POT INTER DIA	
C200079762	-	SAME AS C550042016 EXCEPT 1800 VDC HI-POT RN4M617-1&2 OBSOLETED REPLACED BY C550080182	
C200079763	-	SAME AS 550042719 EXCEPT 1000 VDC INTERPHASE	
C200079764	-	SAME AS C550042070 EXCEPT 1000 VDC HI-POT	
C200079765	-	SAME AS C550042023 EXCEPT 3-COIL WINDING	
C200079766	-		
C200079767	-	SUPERSEDED BY C200062648	
C200079768	-	COPPER WIRE C101035048 CUT 9 1/2" LONG & ANNEALED	
C200079769	-	MSK-010768 KT-70 MAGNET BY MAGNETIC METAL	
C200079770	-	SAME AS C200052567 ROTOR & HUB DEI#01546	
C200079771	-	SAME AS C552052696 STACK DEI#01546	
C200079772	-	SAME AS C552002435 ROTOR LAM DEI#01546	
C200079773	-	SAME AS C550031264 STA.& HSG. DEI#01546	
C200079774	-	SAME AS C552052693 STACK DEI#01546	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079775	-	SAME AS C552002436 STA.LAM DEI#01546	
C200079776	-	550042027-3 COIL 65 32 65 SOA#269	
C200079777	-	551002021-CMO TYPE WINDING SOA#270	
C200079778	-	SOLDER SN63 QQ-S-571	
C200079779	-	551002011 ROTOR W/INTEGRAL INSUL.STACK DEI#01162	
C200079780	-	551052360 ROTOR SUB-INTEGRAL INSUL.STACK DEI#01162	
C200079781	-	200019650 STACK-INTEGRALLY INSULATED DEI#01162	
C200079782	-	ACCEL.HSG. W/416 MAT'L REF. 314001081 DEI#01162	
C200079783	-	PERMANENT MAGNET SUPPLIER-MAGNET & HUB ASS'Y	
C200079784	-	BLACK 1914 MOLDING MAT'L.,12" SPIRAL LENGTH REF.B101063013	
C200079785	-	EXPERIMENTAL SLEEVE,CMO ROTOR	
C200079786	-	BACON UNICOAT ADHESIVE TC-1	
C200079787	-	42 AWG IN B101001012 THRU 018 TYPE WIRE	
C200079788	-	(DEI#1644)BEARING-SAME AS 490194314 EXCEPT DC 33 LUBE	
C200079789	-	SPECIAL HUB FOR PRESS-ON LAM ASS'Y	
C200079790	-	COLLAR FOR DEI#01162	
C200079791	-	SHAFT FOR ROTOR#220185	
C200079792	-	SPECIAL COPPER DRAG CUP & ROTOR ASS'Y DEI#01165	
C200079793	-	OBSOLETE	
C200079794	-	OVEN CONTROL CAM 24 DEGREE C TO 135 DEGREE C IN 4 HR.,135 DEGREE C TO 212 DEGREE C IN 7 HRS.,8 HR @ 212 DEGREE C	
C200079795	-	SAME AS 552052312 EXCEPT .490 +/- .014 LENGTH	
C200079796	-	553002072 CMO HOUSING NO STRESS RELIEVE	
C200079797	-	DEI#1558 STATOR & HOUSING	
C200079798	-	44 AWG SOLDERABLE WIRE LIKE B101001...	
C200079799	-	45 AWG SOLDERABLE WIRE LIKE B101001...	
C200079800	-	LIKE 558012111 EXCEPT NEYNRO 28A ALLOY	
C200079801	-	200012230 WITH 200079800 RINGS	
C200079802	-	LIKE#200062604 EXCEPT HEAT TREAT DIFFERENT	
C200079803	-	328281 ROTOR WITH 720 VOLT RMS HI-POT	
C200079804	-	INACTIVE	
C200079805	-	DEI#1547 SCOTCHCAST IMP.C551075006 ROTOR	
C200079806	-	DEI#1547 SCOTCH CAST IMP.C550075006 STATOR	
C200079807	-	DEI#1547 SCOTCHCAST IMP.C551075002 ROTOR	
C200079808	-	DEI#1547 SCOTCHCAST IMP.C550075002 STATOR	
C200079809	-	DEI#1550 INTEGRALLY INSULATED 552052683	
C200079810	-	DEI#1550 INTEGRALLY INSULATED 550075002	
C200079811	-	DEI#1550 INTEGRALLY INSULATED 552052681	
C200079812	-	DEI#1550 INTEGRALLY INSULATED 552075002	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079813	-	558042600 CMO BR.BLK.WITH EI 4234 ANNEALED BRUSHES	
C200079814	-	200042416 BRUSH EXCEPT EI 4234 ANNEALED BRUSH	
C200079815	-	558042600 CMO BR.BLK.WITH EI 4234 1/2 HARD	
C200079816	-	200042416 BRUSH EXCEPT EI 4234 1/2 HARD	
C200079817	-	BEARING 490274023 EXCEPT NO LUB (FRONT)	
C200079818	-	BEARING 490274023 EXCEPT NO LUB (REAR)	
C200079819	-	C558080023 DEI#1154 THOMPSON LAMS	
C200079820	-	200012230 WITH 200079821 RINGS	
C200079821	-	558012111 EXCEPT ALLOY PER EI 19448	
C200079822	-	SHAFT FOR CU40842006 L.P.UNIT	
C200079823	-	ROTOR SUB FOR C551072150 ROTOR USING 200079824 SHAFT	
C200079824	-	SHAFT-SAME AS 340002903 EXCEPT "B" TO BE 2.189	
C200079825	A	EPIALL 2061 B-1 BLACK MANUFACTURER SUMITOMO BAKELITE, NA	81030 1/31/2011
C200079826	-	ROTOR SUB ASS'Y-SAME AS 551062247 EXCEPT SHAFT TO BE 340002487	
C200079827	-	SHAFT-SAME AS 340002487 EXCEPT "B" TO BE .601 +.000 -.003 (USED IN SUB 200079828)	
C200079828	-	OBSOLETE-SEE NOC#25534 JS 9/26/75	
C200079829	-	COVER-L.P.UNIT(DELETE SAME AS 315002833 GSK)	
C200079830	-	SHIELD-SAME AS 509002005 EXCEPT HOLE "A"	
C200079831	-	ROTOR SUB-SAME AS 551062208 EXCEPT SHAFT	
C200079832	-	SHAFT-SAME AS 340010364 EXCEPT "A" TO BE .1247 +.0000 -.0005	
C200079833	-	SHAFT-L.P."Q"FORM-(ROTOR#551071266)	
C200079834	-	SHAFT 340010299 REV."A" REWORK IF POSSIBLE	
C200079835	-	ROTOR SUB-SAME AS 551052501 EXCEPT SHAFT	
C200079836	-	ROTOR SUB-SAME AS 551052566 EXCEPT H.,R & L	
C200079837	-	SHAFT FOR L.P.UNIT REF. 340010206 L.P.	
C200079838	-	ROTOR SUB-SAME AS 551052422 EXCEPT SHAFT 200079839	
C200079839	-	SHAFT,HUB,RING&LEAD ASS'Y FOR L.P. Q-FORM	
C200079840	-	SHAFT FOR L.P. "Q" FORM	
C200079841	-	ROTOR SUB-SAME AS 551052772 EXCEPT SHAFT	
C200079842	-	SHAFT-SAME AS 340002088 EXCEPT .1247 EXTENSION	
C200079843	-	ROTOR SUB-SAME AS C551052543 WITH C340002478 SHAFT	
C200079844	-	ROTOR SUB-SAME AS C551052512 EXCEPT SHAFT,HUB,RING,& LEAD	
C200079845	-	SHAFT-SAME AS 340010330 EXCEPT EXT.=1.891 +/- .004	
C200079846	-	RE-IDENTIFIED TO C553012870	
C200079847	-	SHAFT-SAME AS C340002468 EXCEPT "B" TO BE .358 +.000 -.003	
C200079848	-	ROTOR SUB FOR L.P.	
C200079849	-	SHAFT FOR L.P. UNIT	
C200079850	-	SHAFT FOR L.P. UNIT	
C200079851	-	END BELL FOR L.P. UNIT	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079852	-	SHAFT FOR L.P. UNIT	
C200079853	-	HSG.FOR L.P. UNIT	
C200079854	-	SHAFT FOR L.P. UNIT	
C200079855	-	SHAFT-SAME AS 340010410 EXCEPT A,B,C,D,& E	
C200079856	-	BRUSH & LEAD-SAME AS 200042567 WITH 21" LEADS L.P.	
C200079857	-	BRUSH & LEAD-SAME AS 200042566 WITH 21" LEADS L.P.	
C200079858	-	ROTOR SUB-SAME AS 200079464 EXCEPT USE 340010815 SHAFT "A"	
C200079859	-	SHAFT FOR L.P. UNIT L.P.	
C200079860	-	ROTOR SUB FOR L.P. UNIT L.P.	
C200079861	-	SHAFT FOR L.P. L.P.	
C200079862	-	SHAFT-SAME AS 214466 EXCEPT 1.970(1.807).913(.750)	
C200079863	-	ROTOR SUB-SAME AS #551062227 EXCEPT SHAFT	
C200079864	-	SHAFT-SAME AS 340002466 EXCEPT "B" TO BE .882 +.000 -.003	
C200079865	-	SHAFT-SAME AS C340010206 EXCEPT NO SPLINE L.P.	
C200079866	-	SUPERSEDED BY 551072166	
C200079867	-	DRAG CUP-SAME AS 556002156 EXCEPT NO ELEC.REQ.	
C200079868	-	ROTOR SUB-FOR 551071763 ROTOR FOL L.P. "Q"FORM	
C200079869	-	300052115 COVER PLATE WITH .140 I.D.HOLE L.P.	
C200079870	-	ROTOR SUB USING SHAFT BELOW L.P.	
C200079871	-	SHAFT-CM09608011 L.P.	
C200079872	-	SHAFT-SAME AS 231000 EXCEPT:.413 TO BE .529-3.629 TO BE 3.745-2.024 TO BE 2.140	
C200079873	-	SHAFT-SAME AS C340002361 EXCEPT GEAR DATA	
C200079874	-	OBSOLETE SUPERSEDED BY C340013639 5/7/83 MB	
C200079875	-	SUPERSEDED BY C340010937 NOC#17020	
C200079876	-	ROTOR SUB ASSY.-SAME AS 551062247 EXCEPT 200079875 SHAFT L.P.	
C200079877	-	HOUSING-SAME AS 553002538 EXCEPT LEAR ANODIZED	
C200079878	-	SHAFT-FOR L.P. UNIT CR40809059	
C200079879	-	SHAFT-.106 SHORTER ON EXT.END THAN 214466	
C200079880	-	ROTOR SUB USING 883 SHAFT-882 SLEEVE-881 STACK L.P.	
C200079881	-	STACK USING THOMPSON LAM 494 AR7-125(SILICON) L.P.	
C200079882	-	SLEEVE FOR (883) SHAFT (STACK TO BEARING SPACER) L.P.	
C200079883	-	SHAFT-SPECIAL FOR .125 I.D. LAM L.P.	
C200079884	-	SHAFT-SPECIAL PER L.P. SKETCH	
C200079885	-	SHAFT-SAME AS 340010500 EXCEPT:SHAFT TYPE TO BE "Y","B" TO BE .1870-.1865	
C200079886	-	SHAFT FOR 551070613 ROTOR L.P.	
C200079887	-	ROTOR SUB-SAME AS 551062010 EXCEPT 200079881 SHAFT	
C200079888	-	ROTOR SUB CM09608013 L.P.	
C200079889	-	SEE 000000136	
C200079890	-	SEE 000000134	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079891	-	SHAFT-SAME AS 340010371 EXCEPT-----	
C200079892	-	ROTOR SUB ASSY-SAME AS 551052373 EXCEPT SHAFT ASSY	
C200079893	-	SHAFT ASS'Y-SAME S 200002429 EXCEPT SHAFT	
C200079894	-	ROTOR SUB ASS'Y-SAME AS 551062010 EXCEPT SHAFT	
C200079895	-	HUB-SAME AS 307002004 EXCEPT CUT OFF TO .228 & .148	
C200079896	-	ROTOR SUB ASS'Y-SAME AS 551062010 EXCEPT SHAFT	
C200079897	-	SHAFT-AS 340010368 "A" TO BE .090 & "B" TO BE .507	
C200079898	-	BRUSH,HOLDER & LEAD-SAME AS C200042583 EXCEPT 15" LONG	
C200079899	-	BRUSH,HOLDER & LEAD-SAME AS C200042581 EXCEPT 15" LONG	
C200079900	-	SUPERSEDED BY C551072392	
C200079901	-	ROTOR SUB USING-902 SHAFT & 901 HUB	
C200079902	-	SHAFT-SAME AS 340010368 EXCEPT CUT OFF & MILL FLAT	
C200079903	-	HUB-SAME AS 307002049 EXCEPT .168 TO BE .148	
C200079904	-	SHAFT-SAME AS 330282-18 EXCEPT "N","A" & "H"	
C200079905	-	SHAFT-SAME AS 340002360 EXCEPT "A" TO BE .489 +/- .005	
C200079906	-	HOUSING-SAME AS 553012526 EXCEPT "D" TO BE 1	
C200079907	-	ROTOR SUB FOR 551072264 ROTOR (Q FORM)	
C200079908	-	BRUSH HOLDER & LEAD-SAME AS C200042579 EXCEPT 75"LEADS	
C200079909	-	BRUSH HOLDER & LEAD-SAME AS C200042577 EXCEPT 75"LEADS	
C200079910	-	BRUSH HOLDER & LEAD-SAME AS C200042578 EXCEPT 75"LEADS	
C200079911	-	BRUSH HOLDER & LEAD-SAME AS C200042576 EXCEPT 75"LEADS	
C200079912	-	ROTOR SUB SPECIAL	
C200079913	-	SHAFT L.P. SPECIAL	
C200079914	-	RTR.SUB-SAME AS 551052568 EXCEPT USE 200079915 SHAFT	
C200079915	-	SHAFT-SAME AS 340002828 EXCEPT "M"=.544 +.000 -.003	
C200079916	-	CORE-SAME AS 200012952 EXCEPT "B" TO BE .7500	
C200079917	-	SHAFT-SAME AS 340010460 EXCEPT:GEAR,EXT.LENGTH & DIA.	
C200079918	-	SLEEVE-SAME AS 375022308 EXCEPT:.7200 +/- .0005 TO BE .7500 DIA.	
C200079919	-	SHAFT-SAME AS 340012642 EXCEPT:"C" TO BE .608-"Y" TO BE .1200 +.0 -.0005-SHAFT TYPE "S" "Z" TO BE .0005	
C200079920	-	SHAFT-SAME AS 340012119 EXCEPT:"A" TO BE .383-OMIT AB SLOT-OMIT AT S DIA.-TAPER	
C200079921	-	ROTOR SUB-SAME AS 551052553 EXCEPT SHAFT	
C200079922	-	ROTOR SUB-SAME AS 551052943 EXCEPT SHAFT	
C200079923	-	ROTOR SUB-SAME AS 551052543 EXCEPT SHAFT	
C200079924	-	SHAFT-SAME AS 340002468 EXCEPT SHAFT EXT.TO BE .567 & APPLY SCRIBE LINE	
C200079925	-	SHAFT-SAME AS 340012640 EXCEPT SHAFT EXT..656 +/- .003-PLAIN TYPE-NO SPLINES	
C200079926	-	RTR.SUB-SAME AS 551052511 EXCEPT SHAFT	
C200079927	-	DELETED SEE #333002477	
C200079928	-	SHAFT-SAME AS 340012105 EXCEPT "A" TO BE .488 +/- .003 NOTE #6 APPLY L.P.	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079929	-	SLEEVE-SAME AS 375022308 EXCEPT .7500 +.0005 -.000 DIA I.D. L.P.	
C200079930	-	STATOR COIL-SAME AS 506002052 EXCEPT (WINDING)	
C200079931	-	END BELL-SAME AS 554002646 EXCEPT(2) HOLES ADDED	
C200079932	-	SUPERSEDED BY 506002024	
C200079933	-	ROTOR SUB-SAME AS 551062165 EXCEPT SHAFT #340010840	
C200079934	-	SUPERSEDED BY 340010840	
C200079935	-	SHAFT-SAME AS 340002579 EXCEPT"A" TO BE .1247 +.0000 -.0005 L.P.	
C200079936	-	HSG.-SAME AS 553002538 EXCEPT "B"=1.337 +/- .003 AND #1 FINISH L.P.	
C200079937	-	ROTOR SUB-SAME AS 200079449 EXCEPT USE 200079939 SHAFT L.P.	
C200079938	-	HOUSING-SAME AS C553002068 EXCEPT "A' TO BE 1.027 +.0 -.003,ETC.SEE"Q" FORM	
C200079939	-	SHAFT FOR LA SPECIAL	
C200079940	-	ROTOR SUB-SAME AS 551062247 EXCEPT HUB TO BE C307002169,SHAFT TO BE C340010359	
C200079941	-	SHAFT-SAME AS 340010460 BUT ADD "J"EXTENSION OF 2.019 X .2500 +.00 -.0005 DIA. L.P.	
C200079942	-	ROTOR SUB-SAME AS 551052555 EXCEPT USE SHAFT 200079943 & S.R.SAME AS 200012232 L.P.	
C200079943	-	SHAFT-SAME AS C340002506 EXCEPT 'B" TO BE .711 +.0 -.003 L.P.	
C200079944	-	COVER-SAME AS 315002484 EXCEPT .188 HOLE L.P.	
C200079945	-	POST & HOLDER-SAME AS 200022129 EXCEPT ADD .188 HOLE L.P.	
C200079946	-	SPACER SLEEVE-SAME AS 308022165 EXCEPT .094 DIM.IS .550 L.P.	
C200079947	-	ROTOR SUB-SAME AS 328953 EXCEPT 200079948 SHAFT ASS'Y L.P.	
C200079948	-	SHAFT ASSEMBLY-SAME AS 233995 EXCEPT 340010697 SHAFT L.P.	
C200079949	-	SHAFT-SAME AS 340010368 EXCEPT "B" TO BE .190 +.00 -.003 "G" & "H" TO BE OMIT L.P.	
C200079950	-	SHAFT-SAME AS 340012119 EXCEPT: "AB" SLOT & .060 DIA. HOLE THRU L.P.	
C200079951	-	ROTOR SUB-SAME AS 551052662 EXCEPT SHAFT	
C200079952	-	SHAFT-SAME AS 340010206 EXCEPT A,E & G L.P.	
C200079953	-	ROTOR SUB-SAME AS 551052476 EXCEPT SHAFT 340012978 L.P.	
C200079954	-	SHAFT-SAME AS 340010206 EXCEPT"C" DIM & EXTENSION L.P.	
C200079955	-	SUPERSEDED BY 200062488	
C200079956	-	ROTOR SUB-SAME AS 551052665 EXCEPT USE SHAFT 200079957	
C200079957	-	SHAFT-SAME AS 340002825 EXCEPT C,D,E & M	
C200079958	-	ROTOR SUB-SAME AS 551052359 EXCEPT SHAFT L.P.	
C200079959	-	SHAFT-SAME AS 340002050 EXCEPT A=2.031,EXT.DIA..1247-.1245 L.P.	
C200079960	-	ROTOR-SAME AS 328281 EXCEPT SHAFT EXTENSION OF .754	
C200079961	-	SHAFT-SAME AS 214466 EXCEPT FOR VARIOUS CHANGES L.P.	
C200079962	-	ROTOR SUB-SAME AS 551052577 EXCEPT USE C340002482 SHAFT L.P.	
C200079963	-	SHAFT-SAME AS 340012201 EXCEPT:OMIT GEAR DATA&PLAIN DIA. .1200 +.0000 -.0005 L.P.	
C200079964	-	SHAFT-SAME AS C340012107 EXCEPT "A" IS 1.711 +.00 -.003 "S" IS AT .172 +.0 -.015 & ADD KNURL	
C200079965	-	ROTOR SUB-SAME AS 551052030 EXCEPT SHAFT L.P.	
C200079966	-	SHAFT-SAME AS 340002098 EXCEPT:OMIT"J"&"K"-"H" TO BE .1873 +.0000 -.0003 L.P.	
C200079967	-	ROTOR SUB ASS'Y-SAME AS 551052580 EXCEPT USE SHAFT #340002468 L.P.	

PRODUCT LOG

(See Operation Sheets if Available)

NUMBER	Rev.	DESCRIPTION	NOC*
C200079968	-	SHAFT-SAME AS 340012107 EXCEPT "A" TO BE .648 +.000 -.003 L.P.	
C200079969	-	MAGNET & SUPPORT ASS'Y	
C200079970	-	ROTOR SUB-SAME AS 551052511 EXCEPT USE 340002487 SHAFT L.P.	
C200079971	-	ROTOR SUB-SAME AS 551052590 EXCEPT USE 200079972 SHAFT L.P.	
C200079972	-	SHAFT-SAME AS 340002466 EXCEPT FOR EXTENSION L.P.	
C200079973	-	SHAFT FOR LIMITED PRODUCTION "Q"FORM	
C200079974	-	ROTOR SUB-SAME AS 551052569 EXCEPT USE 340002468 SHAFT L.P.	
C200079975	-	ROTOR SUB-SAME AS 551052540 EXCEPT "F" TO BE 340002468 L.P.	
C200079976	-	ROTOR SUB-SAME AS 551052553 EXCEPT SHAFT (340002468)	
C200079977	-	ROTOR SUB-SAME AS 551052543 EXCEPT SHAFT(340002468)L.P.	
C200079978	-	SUPERSEDED BY 340012657	
C200079979	-	ROTOR SUB-SAME AS 551062015 EXCEPT USES 200079980 SHAFT	
C200079980	-	SHAFT-SAME AS 340010368 EXCEPT "A"=.090 +.0 -.0005 "B"=.507 +.0 -.0003	
C200079981	-	ROTOR SUB-SAME AS 551052784 EXCEPT FOR SHAFT	
C200079982	-	SHAFT-SAME AS 340012702 EXCEPT "A" DIM.=.751 +/- .003	
C200079983	-	SUPERSEDED BY 200079916	
C200079984	-	SUPERSEDED BY 200079918	
C200079985	-	SHAFT-SAME AS 340002088 EXCEPT SCRIBED LINE	
C200079986	-	ROTOR SUB-SAME AS 551052555 EXCEPT STACK & 200079987 L.P.	
C200079987	-	ROTOR SUB-SAME AS 551062244 EXCEPT STACK ASHE.USING LONGER SHAFT & CUTTING OFF AS RTR L.P."Q"FORM	
C200079988	-	SHAFT-SAME AS 340002506 EXCEPT "B" IS .240 & .080 FLAT L.P.	
C200079989	-	L.P.OBSOLETE-NOW IN FULL PRODUCTION	
C200079990	-	ROTOR SUB-SAME AS 551002850 EXCEPT WINDING & SHAFT L.P.	
C200079991	-	L.P.OBSOLETE-NOW IN FULL PRODUCTION	
C200079992	-	RTR SUB-SAME AS 551062248 EXCEPT SHAFT	
C200079993	-	RTR.SUB-SAME AS 551052553 EXCEPT SHAFT	
C200079994	-	RTR.SUB-SAME AS 551052543 EXCEPT SHAFT	
C200079995	-	SHAFT-SAME AS 340002466 EXCEPT "A & B"	
C200079996	-	ROTOR SUB-SAME AS 551052662 EXCEPT SHAFT 200079997	
C200079997	-	SHAFT-SAME AS 340010368 EXCEPT "B"IS .689 +.000 -.003 L.P.	
C200079998	-	ROTOR SUB-SAME AS 551052610 EXCEPT SHAFT(200079999) L.P.	
C200079999	-	SHAFT-SAME AS 340002558 EXCEPT "A"IS 1.863 +/- .002 L.P.	

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)

PRODUCT LOG
(See Operation Sheets if Available)